

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

WELL API NO.
30-015-03192

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.
LC 062407

7. Lease Name or Unit Agreement Name:

EMPIRE ABO UNIT " C "

8. Well No.

48

9. Pool name or Wildcat
EMPIRE ABO UNIT

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other UNDERGROUND INJECT.

2. Name of Operator

BP AMERICA PRODUCTION COMPANY /

3. Address of Operator

PO BOX 1089 EUNICE, NM 88231

4. Well Location

Unit Letter I : 1980 feet from the S line and 990 feet from the E line

Section 30 Township 17s Range 29e NMPM County EDDY

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: REPAIR BRADENHEAD LEAK ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

TD: 6360' PBTD: 6343' PERFS: 6256 - 6266' CIBP: 5995'

05-06-02 MIRUPU. NDWH. NUBOP. POH w/TBG & PKR. RIH w/RBP SET @ 6180'. CLEANED WELLBORE.

05-10-02 LOAD & TESTED CSG, 500# FOR 30 MIN. OK.

05-13-02 MIRU BJ CEMENT TRUCK, RAN 2 SLURRY DESIGN SQUEEZE. STAGE #1: PUMPED 150 SX C-NEAT, w/2% CALCIUM CHLORIDE. SHUT DN 45 MIN. STAGE #2: PUMPED 100 SX C-NEAT @ 300# AND SQUEEZED OFF AT 600#. SI. SDOW.

05/14-16/02 RIH. POH w/RBP. RIH w/PKR & TBG. CIR HOLE, LOAD & TESTED TBG & CSG. OK.

05-29-02 CSG/BH MIT. WITNESSED BY GERRY GUYE - NMOC, AND MKENT - BP AMERICA. PRESS TESTED TO 510#, HELD FOR 15MIN. OK. CHART ATTACHED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE M. Kent Whitmire TITLE OPERATIONAL SPECIALIST DATE 5/30/02

Type or print name M. KENT WHITMIRE Telephone No. (505) 677-3642

(This space for State use)

APPROVED BY [Signature] TITLE Compliance Officer DATE 6-13-02

Conditions of approval, if any:



