N. M. O. C. C. (CPY

, –

C	ForC				STIR		727.70.4477.	מפ נודר	in the second				
DEPARTMENT OF THE INTERIOR GEOLOGICAL CLARITY APPLICATION FOR PERMIT TO I LIPEN, CR PLUG BACK Notes of other sectors Notes of other sectors Other sectors Other sectors Notes of other sectors Notes of other sectors Other Sectors <td <="" colspan="2" td=""><th></th><td></td><td></td><td></td><td></td><td></td><td>4.</td><td></td><td></td><td>. 42-R</td><td>1425.</td></td>	<th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td>4.</td> <td></td> <td></td> <td>. 42-R</td> <td>1425.</td>								4.			. 42-R	1425.
GEOLOGICAL SURVIV Colspan="2">Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2"		UNIT	ES Struit	5		reverse si	Pr.						
GEOLOGICAL TURNING OF ALLS IN CARLES AND THE ADDRESS OF ALLS IN THE ADDRESS AND THE		DEPARTMENT	CF The I	NTERI	OR	a ny	VI	5. LEASE DESIGNA	TION AND	SEEIAL	NO.		
APPLICATION FOR PERMIT TO		GEOLO	GICAL SURV	ΈY		UCT .	λ						
In TTUE OF WORK DRILL	AP2LICATION	LEOR PERMIT		TODEN			ACV			THE NA	AME		
DRILL Jordan Jackson Jac				للمه استرب	$v_{j} \cup \Lambda$	FLUG D							
b. TTS OF THE AND		11 Theentr	1		DI	UG BAC		7. UNIT AGREEME	INT NAME				
wint dig organized wint dig organized wint dig organized Hugh L, Johnston, Sr. Green Fed. 4. doals as own is (sport branch dearly and in scalable with any state requirements) 5 4. doals as own is (sport branch dearly and in scalable with any state requirements) 5 4. doals as own is (sport branch dearly and with scalable with any state requirements) 5 4. doals as own is (sport branch dearly and with scalable with any state requirements) 11. state of state with any state requirements of state requirements in the with the scalable with any state requirements in the with the scalable with any state requirements in the scalable with any		7			1 6	.00 040	.n [_]						
2. Name of organized Green Fed. 3. Addit a of organized 5 3. Addit a of	OIL GA					MULTIPI		S. FARM OR LEAS	E NAME				
Hugh L, Johnston, Sr. V 3. wata and the second of the	2. NAME OF OPERATOR					2011		Green	Fed				
3. Addits of details 5 8.59 Petroleum Bidg, Rosvell, New Mexico In Price Amp Potron With Control and a mean dates with any State registrements.) 1. details of with (Header Media and a mean dates with any State registrements.) In Price Amp Potron the N. Line 330' from the West Line 3.60 First and the second and a mean dates with any State registrements.) In Price State Sec. 31- T 17 S.R 29 E Price State registrements.) In Price State 3.60 First and the second and the mean dates with any State registrements.) In Price State In Price State 3.60 First and the second and the second and the second and strict. In Price State In Price State 3.60 First and the second and the second and the second and strict. In Price State In Price State 3.60 First and the second	Hugh L.	Johnston, S	r V						reu.				
859 Petroleum Bidg, Roswell, New Mexico In the source of the associate with a source requirements: 1. Addition with (deput between the source of the source requirements:) In the source of the source o	3. ADDRESS OF OPERATOR		•					5					
total and the second seco	859 Petrole	eum Bldg. Ros	well. New	w Mesti	ico			10. FIELD AND PO	OL, OR WI	LDCAT			
At proposed profiles 21-11 T S K 29 E All of the All A It proposed profiles 31-17 S.R 29 E NMPM It bottered 11 No. or All A It bottered 12 No. or All A It bottered 13 No. or All A It bottered 14 No. or All A It bottered 12 No. or All A It bottered	4 TODATION ON PERT /PA	anont location election and	in accordance mi	the ener Ner	• · • • • • • • • • • •	ents.*)	······	Arto	des.				
At proposed profiles 21-11 T S K 29 E All of the All A It proposed profiles 31-17 S.R 29 E NMPM It bottered 11 No. or All A It bottered 12 No. or All A It bottered 13 No. or All A It bottered 14 No. or All A It bottered 12 No. or All A It bottered	At surface 2310	from the N.	Line 3	30' fr	com th	e West	: Line	11. SEC., T., E., M	., OR BLK.				
Greyburg (Prestiers & Metry Zones) 31-17 S.R 29 E NMPM 11. DURING IN SURGE AD DURINGTION FROM NUMBER 2000 GENER CONTROL 12. COUNT OF FALLER 15. REAR 12. COUNT OF FALLER 15. REAR 13. DURING IN SURGE AD DURING OF CONTROL 14. No. OF ACLES IN LEASE 17. No. OF ANDER ASSOLUTE 12. COUNT OF FALLER 15. REAR 14. DURING INFORMATION FROM NUMBER 2000 GENERAL IN LEASE 17. No. OF ANDER ASSOLUTE 28. COUNT OF FALLER 15. REAR 15. DURING INFORMATION FROM NUMBER 2000 GENERAL IN LEASE 10. NO. OF ACLES IN LEASE 28. COUNT OF ANDER ASSOLUTE 16. DURING INFORMATION FROM NUMBER 2000 GENERAL IN LEASE 10. NO. OF ACLES IN LEASE 28. COUNT OF ANDER ASSOLUTE 16. DURING UND FROM NUMBER 2000 GENERAL 10. NO. OF ACLES IN LEASE 28. COUNT OF ANDER ASSOLUTE 16. DURING UND FROM NUMBER 2000 GENERAL 2852' Cable Tools 11. DURING UND FROM NUMBER 2000 GENERAL IN LEASE 20. ROTATION CHART MARK AND TO THE ADD IN THE A	Sec.	JI→ T 1/ S B	29 E			*		AND SURVEY	OR AREA				
14. BECARDE IN MILES AND DEMOTRON FROM STRATES ON CONSTRUCT 12. COLSTY ON FAILING 12. STATE 15. MALLES TO LOCO HILLS, New Mexico Eddy New Mex. 16. No. OF ACRES IN LEASE Eddy New Mex. 16. No. OF ACRES IN LEASE Eddy New Mex. 16. No. OF ACRES IN LEASE Eddy New Mex. 16. No. OF ACRES IN LEASE Eddy New Mex. 16. No. OF ACRES IN LEASE Eddy New Mex. 16. No. OF ACRES IN LEASE Eddy New Mex. 17. NO. OF ACRES IN LEASE Eddy New Mex. 18. OF ACRES IN LEASE The Solid Net OF ACRES IN LEASE Eddy New Mex. 18. OF ACRES IN LEASE Solid Net OF ACRES IN LEASE Eddy New Mex. 19. TOTAL OF ACRES IN LEASE GR DETH 20. ACRES IN LEASE Cable Tools 20. OF ACRES IN LEASE GR DETH 20. ACRES IN LEASE Cable Tools 21. HEARINGS (Show worked DF, RT, GR. ec.) 20. ACRES IN LEASE Cable Tools 22. AFTON INTER INC. COMPLETED 20. LD. 4753 50 Sacks 23. This well was Drilled by General American Oil Co. of Texas. 106 Sacks. New Ill an 10, 1957 We prepose to clean the ho			menter &	Moty	Zones)		31_17 \$	R 29	F M	ИРМ		
15. betwindling 16. No. OF ACRES IN LEASE 17. So, OF ACRES AND 16. No. OF ACRES IN LEASE 17. So, OF ACRES AND 17. So, OF ACRES AND 28. 86 18. Det ACE INAGE INST. 230' 19. Det ACE INST. 28. 86 10. Det ACE INST. 28. 86 10. DET ACE INST. 28. 87 10. DET ACE INST. 28. 86 10. DET ACE INST. 28. 86 10. DET ACE INST. 27. 37 10. SECON WHENDER DET ACE INST. 27. 37 10. SECON INST. 38. 00 CANTON OF ACESS AND 10. DET ACE INST. 28. 47 20. DET ACE INST. 28. 47 20. DET ACE INST. 27. 37 10. DET ACE INST. 27. 35 </td <th></th> <td></td> <td>REST TOWN OR POS</td> <td>ST OFFICE*</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>			REST TOWN OR POS	ST OFFICE*									
15. betwindling 16. No. OF ACRES IN LEASE 17. So, OF ACRES AND 16. No. OF ACRES IN LEASE 17. So, OF ACRES AND 17. So, OF ACRES AND 28. 86 18. Det ACE INAGE INST. 230' 19. Det ACE INST. 28. 86 10. Det ACE INST. 28. 86 10. DET ACE INST. 28. 87 10. DET ACE INST. 28. 86 10. DET ACE INST. 28. 86 10. DET ACE INST. 27. 37 10. SECON WHENDER DET ACE INST. 27. 37 10. SECON INST. 38. 00 CANTON OF ACESS AND 10. DET ACE INST. 28. 47 20. DET ACE INST. 28. 47 20. DET ACE INST. 27. 37 10. DET ACE INST. 27. 35 </td <th>8 Miles t</th> <td>to Loco Hills</td> <td>New Me</td> <td>vico</td> <td></td> <td></td> <td></td> <td>Fddy</td> <td>N</td> <td>or., 3</td> <td>Vox</td>	8 Miles t	to Loco Hills	New Me	vico				Fddy	N	or., 3	Vox		
Property of Lase Like, T. B., T. B	15. DISTANCE FROM PROPO	SED*	<u>, non no.</u>		OF ACRES I	N LEASE		F ACRES ASSIGNED		ew i	leA.		
18. INSTANCE MEAN THEORY INCOMPATING THEORY INCOMPANY OF CALLET TOOLS 10. PROFERED LETTING 20. BOTAT OF CALLET TOOLS 19. PROFERENCE MELLE FILLING, COMPLETED, OR AFTLE FOR, CALLET TOOLS 22. APPROX. NAME. Cable Tools 21. BEAVALONS (Show which are provided in the formation of the formation o	PROPIRTY OR LEASE LINE	E, FT. 220	1					A 86					
To ALMERT WELL SOLLING, COMPLETED. 2854' Cable Tools 21. BLEWATIONS (Show weakler DF, RT, GR, etc.) 22. APPROX. DATE WORK WILL scamp* 367 75.6 CR 22. APPROX. DATE WORK WILL scamp* 367 76 PROPOSED CASING AND CEMENTING PROCEAM 22. APPROX. DATE WORK WILL scamp* 367 76 R PROPOSED CASING AND CEMENTING PROCEAM SILL OF TOOL STEL OF CASING WEINIT PRE FOOT SCTING GLITH QCANTER OF CASING SILL OF TOOL STEL OF CASING WEINIT PRE FOOT SCTING GLITH QCANTER OF CASING SILL OF TOOL STEL OF CASING WEINIT PRE FOOT SCTING GLITH QCANTER OF CASING SILL OF TOOL STEL OF CASING WEINIT PRE FOOT SCTING GLITH QCANTER OF CASING SILL OF TOOL STEL OF CASING WEINIT PRE FOOT SCTING GLITH QCANTER OF CASING The well was Drilled by General American Oil Co. of Texas. The well was plugged & abandoned and reported on Form no. 9-331A Jan. 10, 1957 Me prepose to clean the hole of mud & cement to a depth of 475' & set approximately 475' of 8 5/8" Casing to be cemented with 50 sacks. We will then clean out the hole to approximately 2735' and competition for Sacks. RECENTED For Supprint the Stece of Casing to thole of the Stece of Casing t				19. PROP	OSED DEPTH				· · · · · · · · · · · · · · · · · · ·				
21. ELEVATIONS (Show weether DF, RT, GE, etc.) 22. MPPROX. DATE WORK WILL START 3675.6 GR 22. MPPROX. DATE WORK WILL START 3675.6 PROPOSED CASING AND CEMENTING PROGRAM MEEL OF HOLE MEEL OF CASING WEAPITY PER FOOT MEEL OF CASING WEAPITY PER FOOT MEEL OF CASING AND CEMENTING PROGRAM MEEL OF CASING AND CEMENT MEEL OF CASING AND CEMENT <td <="" colspan="2" td=""><th>TO NEAREST WELL, DR</th><td>RILLING, COMPLETED,</td><td></td><td>1</td><td></td><td>•</td><td>-</td><td colspan="3"></td><td></td></td>	<th>TO NEAREST WELL, DR</th> <td>RILLING, COMPLETED,</td> <td></td> <td>1</td> <td></td> <td>•</td> <td>-</td> <td colspan="3"></td> <td></td>		TO NEAREST WELL, DR	RILLING, COMPLETED,		1		•	-				
3675.6 GR Aug. 5, 1965 PHOPOSED CASING AND CEMENTING PROGRAM SILE OF HOLE SILE OF CASING WEDDEP PERFORT OCANIES OF CASING 10" 8578" 20 Lb. 475' 50 Sacks 10" 8578" 20 Lb. 2735' 165 Sacks This well was Drilled by General American Oil Co. of Texas. The well was plugged & abandoned and reported on Form no. 9-331A Jan. 10, 1957 We prepose to clean the hole of mud & cement to a depth of 475' & set approximately 475' of 8 5/8" Casing to be cemented with 50 sacks. We will then clean out the hole to approximately 2735' and commet it in 165 Sacks. The Casing will then be perforated by IMEEPDEmier ZogACIN the Soreyburg section. AUG 9 1985 Aug. 4, 1965 The clean derender totally, give perforate to subsurface locations and measured and true vertical depths. Give blowed perforate process is to depend State ALP Function on present productive sone and proposed are productive perforate process is to depend State ALP Function on present productive cone and proposed are productive perforate process is to de									-	UL ST	ABT.		
PROPOSED CASING AND CEMENTING PROFEAM SILT OF HOLE SILT OF CASING AND CEMENTING PROFEMA OF HOLE SILT OF CASING AND CEMENTING PROFEMA SIGN AND CEMENT AND CEMENT AND CEMENT AND CEMENT ADD CEMENT AND CEMENT AND CEMENT AND CEMENT ADD CEMENT AND CEMENT AND CEMENT AND CEMENT SIGN AND CEMENT AND CEMENT AND CEMENT AND CEMENT AND CEMENT<													
SET OF HOLE SET OF CASING WEIGHT PRE POOT SETTING SETTING OCANTITY OF CLARENT 10" 8 5/8" 20 Lb. 475' 50 Sacks 8" 5 ½" 15 Lb. 2735' 165 Sacks This well was Drilled by General American Oil Co. of Texas. The well was Drilled by General American Oil Co. of Texas. The well was plugged & abandoned and reported on Form no. 9-331A Jan. 10, 1957 We prepose to clean the hole of mud & cament to a depth of 475' & set approximately 475' of 8 5/8" Casing to be cemented with 50 sacks. We will then clean out the hole to approximately 2735' and competitient 165 Sacks. The Casing will then be perforated for the provident Poperatory of a State of the perforate of the perforation of the perforate of the p			PODOSED CAST	NC AND (DESCENTRY								
10" 8 5/8" 20 Lb. 475' 50 Sacks 8" 5 2" 15 Lb. 2735' 165 Sacks This well was Drilled by General American Oil Co. of Texas. The well was plugged & abandoned and reported on Form no. 9-331A Jan. 10, 1957 We prepose to clean the hole of mud & cement to a depth of 475' & set approximately 475' of 8 5/8" Casing to be cemented with 50 sacks. We will then clean out the hole to approximately 2735' and camera the 165 Sacks. The Casing will then be performed to approximately 2735' and camera the 165 Sacks. The Casing will then be performed to approximately 2735 and camera the 165 Sacks. C. C. NAME SACK DESCRIPTION THE DESCRIPTION THE SACK DES	<u> </u>		KOI USED CASI	NG 72D (G PROGRA							
8" 5 2" 15 Lb. 2735" 165 Sacks This well was Drilled by General American Oil Co. of Texas. The well was plugged & abandoned and reported on Form no. 9-331A Jan. 10, 1957 We prepose to clean the hole of mud & cement to a depth of 475' & set approximately 475' of 8 5/8" Casing to be cemented with 50 sacks. We will then clean out the hole to approximately 2735' and cometod ith 165 Sacks. The Casing will then be perforated in the lote to approximately 2735' and cometod ith 165 Sacks. The Casing will then be perforated in the lote to approximately 2735' and cometod ith 165 Sacks. Distribution of the clean out the hole to approximately 2735' and cometod ith 165 Sacks. The Casing will then be perforated in the lote to approximately 2735'. AUG 9 1985 AUG 9 1985 Distribution of the colspan="2">Colspan="2" Colspan="2" Colspan="2" Colspan="2" <td <="" colspan="2" td=""><th></th><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td>	<th></th> <td></td>												
This well was Drilled by General American Oil Co. of Texas. The well was plugged & abandoned and reported on Form no. 9-331A Jan. 10, 1957 We prepose to clean the hole of mud & cement to a depth of 475' & set approximately 475' of 8 5/8" Casing to be cemented with 50 sacks. We will then clean out the hole to approximately 2735' and converted ith 165 Sacks. The Casing will then be performed to approximately 2735' and converted ith Sacks. The Casing will then be performed to the back of the forming to approximately 2735' and converted ith Sacks. The Casing will then be performed for the back of the forming to approximately 2735' and converted ith Sacks. The Casing will then be performed for the back of the forming to approximately 2735' and converted to approximately													
The well was plugged & abandoned and reported on Form no. 9-331A Jan. 10, 1957 We prepose to clean the hole of mud & cement to a depth of 475' & set approximately 475' of 8 5/8" Casing to be cemented with 50 sacks. We will then clean out the hole to approximately 2735' and competitive 165 Sacks. The Casing will then be performed in the literative of the sacks o	8"	<u> </u>	<u> </u>	D.	273	5'		165	Sacks				
zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 24. SIGNLO <u>Celeficitia E directory</u> TITLE <u>Secretary</u> DATE <u>Aug. 4, 1965</u> (This space on Federal or State office use) APPROVAL DATE APPROVAL DATE TITLE DATE DATE	set approxim We will ther 165 Sacks. The Casing v section.	nately 475' c n clean out t will then be	of 8 5/8" the hole perfora R	Casir to app e E C hi AUG	ng to proxim E ItMe 9 13 E. C.	be centrately	er Zo U.S.	with 50 ECENT AUGEN the GEOLOGICAL TESTA, NEW 1	sacks ED ¹ SGrey SURVE	th burg			
APPROVAL DATE DATE DATE	zone. If proposal is to opreventer program, if any 24.	drill or deepen directiona s. <u>Ala E. John</u>	lly, give pertinen	t data on	subsurface	locations an	d measured	and true vertical	Aug.	ive blo	wout		
APPROV DATE DATE	(This space for Feder	ral or State office use)		_				•					
APPROVATION OF OPERIVAL IT ANY:	The Lot	\		A1	PPROVAL DAT	re							
CINDER OF OPPOPOLAL IT ANY :							÷						
R. L. BELLIMAN R. L. BELLIMAN NG DISTRICT ENGINEER NG DISTRICT ENGINEER *See Instructions On Reverse Side	KU -												
R. L. BELLATION ENGINEER R. L. BELLATION ENGINEER *See Instructions On Reverse Side	APPROV	+	TI	TLE				DATE					
R. K. DISTRICT ENGLASSING *See Instructions On Reverse Side	APPROV	AL, IL ANY :	TI	TLE				DATE					
"See Instructions On Reverse Side	APPROVIDE COMPENSION	AL, I ANY:	TI	TLE				DATE					
	APPROX CONTRACTOR OF APPROX	AL, I ANY:						DATE					
	APPROVER TO PERCON	AL, I ANY:			On Reverse	e Side		DATE					
	APPROX OF DEFINITION OF OPPOOR OF DEFINITION OF OPPOOR THE DEFINITION ENGINEER THING DISTRICT ENGINEER	AL, I ANY:			On Reverse	e Side		DATE					

N.	MI.	0.	C.	C.	CCPY
	11/14	۰.			

GIL GIL GAS		SEE INSTRUCTION	o for collfeith	is this form	ON THE REVER	ase side AUG 9 100
ERATOR						
			51.0°			ARTESIA, OFFI
perator Function I.	Johnston,	S **	I Less Greet	5-1		Vell No. 5
ait Letter	Section	Township		County	·····	
Ε	31	17 S	29 I		Eddy	
zual Footage L 2310	ocation of Well: feet from the	No.	1 000			
round Level Ele		North line an		reet from th		line Dedicated Acreage:
3675.6	Prem		Arte	sia	1	28.86 Acres
who has the right another. (65- If the answer to wise? YES	ght to drill into and -3-29 (e) NMSA 19 	l to produce from any po 35 Comp.) 'no," have the interests f answer is "yes," Typ	ool and to appropria s of all the owners e of Consolidation	te the productio been consolidat	m either for hims	. ("Ouwer" means the person elf or for himself and zation agreement or other-
	o question two is '	'no," list all the owner	s and their respect	ve interests be	low:	
Hurth I.	Johnston,	S 		escription	01 m 17	0 0 00 0
واط الانوريونية	00111000119	<u> </u>		<u>2.% Sec.</u>	JI- T 1/	S- R 29 E
<u>R.J.</u>	Johnston			E.Z Sec.	<u>31- T 17</u>	<u>S- R 29 E</u>
· · · · · · · · · · · · · · · · · · ·		SECTION B				ERTIFICATION
2 L C + Z					plete to the belief. Name Position Company <u>Hugh</u> Date	N A above is true and com- ebest of my knowledge and C. M.
				Kufi	shown on the plotted from surveys made supervision and correct and belief. The Co- Date Survey	ttify that the well location ne plat in SECTION B was in field notes of actual de by me or under my , and that the same is true to the best of my knowledge My buyging Manual Professional Engineer H Surveyor

RECEIVED

 $\widehat{}$

.

AUG 5 965 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO