

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRI ATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 555969

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Green Federal

9. WELL NO.

5

10. FIELD AND POOL, OR WILDCAT

Arteria

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 31, T-17S, R-29E

12. COUNTY OR PARISH 13. STATE

Eddy

New Mexico

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR
SHENANDOAH OIL CORPORATION

3. ADDRESS OF OPERATOR
1500 Commerce Building; Fort Worth, Texas 76102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
Unit E - 2,310 FNL & 330 FWL Sec. 31, T-17S, R-29E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3,657.5 GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Convert to water injection

(NOTE: Report results of multiple completion on Well
Completion or Recompletion-Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

T.D. - 2,740'.

1. Pulled rods and tubing and cleaned out to total depth 2,740'.
2. Ran correlation log and perforated 5 1/2" casing w/2 SPF as follows: 2,538'-2,544'.
3. Ran new 2 3/8" EUE plastic lined tubing with packers and flow regulator assemblies. (See attached diagram).
4. Filled annulus with inert fluid and installed valve at surface for pressure reading.
5. Well placed on injection August 12, 1971

RECEIVED

SEP 16 1971

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Vice President

DATE September 10, 1971

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED

SEP 16 1971

H. L. BECKMAN

ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

This form is to be used for reports on wells and for sundry notices. It is to be filled out by the operator of the well and submitted to the nearest State office of the Geological Survey.

WELL NO. _____
DATE OF REPORT _____

NAME OF OPERATOR _____

ADDRESS OF OPERATOR _____

1500 Commerce Building, Fort Worth, Texas 76102

Section 17, Township 10N, Range 12E, T-10N, R-12E

3.627.5 CR

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO

WATER SHEDDING	WELL OF OTHER CASING
WATER TREATMENT	WELL OF OTHER CASING
WELL OF OTHER CASING	WELL OF OTHER CASING
WELL OF OTHER CASING	WELL OF OTHER CASING
WELL OF OTHER CASING	WELL OF OTHER CASING
WELL OF OTHER CASING	WELL OF OTHER CASING

1.0 - 1.74

1. Water rods and casing are shown on the well diagram.

2. An correlation log and perforated 1 1/2" casing was run.

3. Ran new 2 3/8" EUS plastic lined casing with packers and fluid level.

4. Filled annulus with inert fluid and installed valve at surface.

5. Well placed on injection August 12, 1971

I hereby certify that the foregoing is true and correct

SIGNED _____ TITLE _____

(This space for use of State office use)

TITLE _____

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:
SEP 1 1971
R. L. BECKMAN
ACTING DISTRICT MANAGER

*See instructions on reverse side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations of Federal or Indian lands should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of such abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents, not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; and of any material placed below, between, and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth, top of any left in the hole, method of closing top of well; and date well situated for final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1969-0-85229

WELL PROFILE

OP

ATOR

Hennrichs, H. H.

CASING

LINER

TURNING

1

2

3

WELL #

Green Federal #5

FIELD

Annis O. GR. SA.

COUNTY

Eddy

STATE

New Mexico

DATE

August 10, 1971

☐

NEW COMPLETION

☒

WORKOVER

SIZE

WEIGHT

GRADE

THREAD

DEPTH

Concept To Water Injection

ITEM
NO.

EQUIPMENT AND SERVICES

ESTIMATE

1- 15/8" 20# Casing Set @ 475'

5/8" 15.5# Casing Set @ 2740'

Size 45B Baker Model R Tension Tension
Packer w/ Hold DownSize 2 3/8" Baker Model BF Full Opening
Down Hole Flow Regulator - 140 Gals/Day

Size 45B Baker Model A1 L&K Set Packer

Size 2 3/8" Baker Model BF Full Opening
Down Hole Regulator - 250 Gals/Day

COMMENTS:

TOTAL ESTIMATE

T.D. 2740'

RECEIVED


SEP 13 1971

H. S.

PREPARED BY

OFFICE

PHONE

Worksheet
No. 523SAVE TIME AND MONEY WITH
COMPLETIONS BY BAKER

BAKER OIL TOOLS, INC.

HOUSTON LOS ANGELES NEW YORK

PRINTED IN U.S.A.

WELL INITIAL
FLUIDS INITIAL