


30-015-03201

Opnd- 13237

Apnd- 6156

Apnd- 28509



Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

C/SF  
Op.

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-015-03201

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

E-7664

7. Lease Name or Unit Agreement Name

Old Loco Unit

8. Well No.

#1

9. Pool name or Wildcat

Grayburg Jackson SR QN GB SA

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG A WELL IN A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL  
WELL ☒

GAS  
WELL ☐

OTHER

AUG 17 1995

2. Name of Operator

Mack Energy Corporation

3. Address of Operator

P.O. Box 960, Artesia, NM 88211-0960

4. Well Location

Unit Letter A : 660 Feet From The North Line and 660 Feet From The East Line

Section 32 Township 17S Range 29E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3556 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4-17-95 Prep to Plug and Abandon as follows: Squeeze perfs 2586-2889 w/50sx Class C w/2% CC.

4-18-95 Ran in hole w/wireline and Tag Cmt @ 2529'. Circ Hole w/mud @ 2500'. Perfed csg @ 715' 50' below base salt. Ran in hole w/pkr and squeeze perf @ 715' w/25sx Class C w/2% CC. Tag cmt @ 601'. Perfed csg @ 300' 50' below top salt. Broke circ to surface and cement csg to surface inside and outside of csg from 300'. Install dry hole marker and clean location.

Post ID-2  
9-1-95  
P & A

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Crissa D. Carter

TITLE Production Clerk

DATE

8-16-95

TYPE OR PRINT NAME

Crissa D. Carter

TELEPHONE NO. 748-1288

(This space for State Use)

APPROVED BY

[Signature]

TITLE

2nd Rep

DATE

8/26/95

CONDITIONS OF APPROVAL, IF ANY: