

NUMBER OF COPIES RECEIVED		6
DISTRIBUTION		
SANTA FE	1	
FILE	1	
U.S.G.S.	2	
LAND OFFICE		
TRANSPORTER	OIL	
	GAS	
PRODUCTION OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED

WELL RECORD

AUG 30 1962

O. C. C.

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies


AREA 640 ACRES  
LOCATE WELL CORRECTLY

NEWMONT OIL COMPANY

(Company or Operator)

STATE "A"

(Lease)

Well No. 2, in SW 1/4 of SE 1/4, of Sec. 36, T. 17S, R. 29E, NMPM.

LOCO HILLS Pool, EDDY County.

Well is 725 feet from South line and 2100 feet from East line

of Section 36. If State Land the Oil and Gas Lease No. is B-1778

Drilling Commenced April 28, 1962. Drilling was Completed May 29, 1962

Name of Drilling Contractor Tom Boyd

Address Artesia, New Mexico

Elevation above sea level at Top of Tubing Head. The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 2525 to 2744 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	14	N	450				
4 1/2	9.5	N	2710				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	8 5/8	450	50			
	4 1/2	2710	100			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

On 6-11-62 sand fraced from 2725-44 with 8,000 ballons oil and 5000# 20-40 mesh sand.

Result of Production Stimulation.

Depth Cleaned Out.

# RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary tools were used from 0 feet to 2763 feet, and from 0 feet to 0 feet.  
Cable tools were used from 0 feet to 2763 feet, and from 0 feet to 0 feet.

## PRODUCTION

Put to Producing August 20 62, 1962  
OIL WELL: The production during the first 24 hours was 10 barrels of liquid of which 100% was oil; 0% was emulsion; 0% water; and 0% was sediment. A.P.I. Gravity 0  
GAS WELL: The production during the first 24 hours was 0 M.C.F. plus 0 barrels of liquid Hydrocarbon. Shut in Pressure 0 lbs.  
Length of Time Shut in 0

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	430	T. Devonian.	T. Ojo Alamo.
T. Salt.	1065	T. Silurian.	T. Kirtland-Fruitland.
B. Salt.		T. Montoya.	T. Farmington.
T. Yates.		T. Simpson.	T. Pictured Cliffs.
T. 7 Rivers.	2212	T. McKee.	T. Menefee.
T. Queen.	2725	T. Ellenburger.	T. Point Lookout.
T. Grayburg.		T. Gr. Wash.	T. Mancos.
T. San Andres.		T. Granite.	T. Dakota.
T. Glorieta.		T.	T. Morrison.
T. Drinkard.		T.	T. Penn.
T. Tubbs.		T.	T.
T. Abo.		T.	T.
T. Penn.		T.	T.
T. Miss.		T.	T.

## FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	20		Sand	1895	1938		Anhy
20	30		Sandy clay	1938	2000		Anhy and shale
30	120		Red bed	2000	2045		Anhy
120	160		Sand	2045	2090		Anhy and shale
160	190		Shale	2090	2205		Anhy
190	210		Shale and gravel	2205	2242		Red sand
210	275		Shale and shells	2242	2367		Anhy
275	310		Anhy	2367	2397		Lime
310	320		Anhy & Gyp	2397	2419		Anhy and shale
320	350		Anhy and shale	2419	2425		Lime
350	360		Sand	2425	2451		Anhy
360	444		Anhy and shale	2451	2465		Lime
444	450		Salt and potash	2465	2505		Broken anhy
450	485		Salt, potash and shale	2505	2550		Anhy and shale, sandy
485	515		Salt, potash and anhy	2550	2575		Sand and lime
515	1030		Salt	2575	2585		Lime
1030	1090		Anhy and shale	2585	2620		Pink and brown lime
1090	1405		Anhy	2620	2645		Brown lime
1405	1414		Sand	2645	2719		Grey lime
1414	1725		Anhy	2719	2724		Sand
1725	1790		Anhy and lime	2724	2735		Lime
1790	1800		Anhy and shale	2735	2749		Sand
1800	1825		Anhy and lime	2749	2763		Lime
1825	1870		Anhy				
1870	1895		Anhy and lime shells	T.D.	2763	2763	

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

August 28, 1962  
Company or Operator NEWMONT OIL COMPANY Address 300 Booker Bldg., Artesia, N.M.  
Name H. J. LEDBETTER Position or Title Superintendent