

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSIO.

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

20022-7070 Santa Fe, New Mexico
Company or Operator Address
15470 Well No. 1 in 1 of Sec. 12, T. 17
R. 202 N. M. P. M. 1075-101 Field, 111 County.
Well is 111 feet south of the North line and 111 feet west of the East line of
If State land the oil and gas lease is No. 1-7755 Assignment No. 22
If patented land the owner is 1075-101 Address 111
If Government land the permittee is Address
The Lessee is Address
Drilling commenced 1-2-19 Drilling was completed 1-2-19
Name of drilling contractor 111 Address
Elevation above sea level at top of casing 111 feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 111 to 111 No. 4, from 111 to 111
No. 2, from 111 to 111 No. 5, from 111 to 111
No. 3, from 111 to 111 No. 6, from 111 to 111

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 111 to 111 feet.
No. 2, from 111 to 111 feet.
No. 3, from 111 to 111 feet.
No. 4, from 111 to 111 feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
1 1/2"	111	111	111	111	111				
1"	111	111	111	111	111				
1"	111	111	111	111	111				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
1 1/2"	111	111	111	111	111	111
1"	111	111	111	111	111	111

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	STELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	111	111	111	111	111	111

Results of shooting or chemical treatment
111

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 111 feet to 111 feet, and from 111 feet to 111 feet
Cable tools were used from 111 feet to 111 feet, and from 111 feet to 111 feet

PRODUCTION

Put to producing 111 19
The production of the first 24 hours was 111 barrels of fluid of which 111 % was oil; 111 % emulsion; 111 % water; and 111 % sediment. Gravity, Be 111
If gas well, cu. ft. per 24 hours 111 Gallons gasoline per 1,000 cu. ft. of gas 111
Rock pressure, lbs. per sq. in. 111

EMPLOYEES

111 Driller 111 Driller
111 Driller 111 Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 111 day of 111 19
Notary Public
My Commission expires 111
Place Date
Name 111
Position 111
Representing 111 Company or Operator

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
120	120		Sand
120	110		Shale, Red
110	100		Anhydrite
100	110		Red Shale
110	110		Water sand
110	150		Red Shale
150	170		Anhydrite
170	180		Anhydrite
180	1195		Salt
1195	2275		Anhydrite
2275	2405		Red Sand
2405	1110		Anhydrite
1110	1150		Lime
1150	1110		Anhydrite
1110	2570		Sand
2570	2525		Anhydrite
2525	2900		Lime
	I.D.		