

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

NM OIL & GAS COMMISSION APPROVED  
Drawer DD  
Artesia, NM 88210  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993  
Lease Designation and Serial No.

LC-028793-A

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Marbob Energy Corporation

3. Address and Telephone No.

P.O. Drawer 217 Artesia, New Mexico 88210 (505)748-3303

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 19 T-17-S R-30-E 2310 FSL 1650 FWL Unit K

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

NMNM88525X

8. Well Name and No.

Burch Keeley Unit #93

9. API Well No.

30-015

10. Field and Pool, or Exploratory Area

Grbg. Jackson SR Q Grbg SA

11. County or Parish, State

Eddy Co., N.M.

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other \_\_\_\_\_  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- 1) Spot 35 Sacks of cement plug at 7" shoe from 2735' to 2585 and tag
- 2) Load hole W/Mud
- 3) Spot 25 Sacks of cement plug at 2639 to 2539 across perforations
- 4) Perforate 7" casing at base of salt 910' and squeeze W/50 sacks of cement and tag
- 5) Perforate 7" casing at top of salt and squeeze W/50 sacks of cement and tag plug with cover 8 5/8" shoe at 478'
- 6) Perforate 7" casing and 8 5/8" casing at 60' and circulate cement to surface between 7" and 8 5/8" and 8 5/8" open hole leaving 7" hole

7) RESTORE LOCATIONS AND INSTALL DRY HOLE MARKER.

OIL CON. DIV.  
DIST. 2

14. I hereby certify that the foregoing is true and correct

Signed Rayman Maldonado Title Super visor

Date 2/14/95

(This space for Federal or State office use)

Approved by Oil Conservation Division Title Petroleum Engineer

Conditions of approval, if any:

Date 2/14/95

- SEE STIPS -

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side