

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TR (Other instructio
on re-verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Las Cruces 029342-C

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL
WELL ☒GAS
WELL ☐~~SINCLAIR OIL CORPORATION~~

OCT 1 1968

2. NAME OF OPERATOR

Sinclair Oil & Gas Company

3. ADDRESS OF OPERATOR

P. O. Box 1920, Hobbs, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)
At surface

1650' from north line and 990' from East line

Sinclair Oil Corporation Merged
into Atlantic Richfield Company
effective March 4, 1969

10. FIELD AND POOL, OR WILDCAT

Grayburg Jackson

11. SEC., T., R., M., OR BLM. AND
SURVEY OR ARMA

20-17S-30E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

3650' GR

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

7-8-66 Cleaned out from 3291-3300' TD.

7-9-66 Water-Fraced Grayburg Jackson open hole 2904'-3300' w/50,000 gals. gelled
water plus 50,000# sand in 4 stages using 2000# rock salt. Max. Press. 2600#,
Min. Press. 1900# @ 46 BPM. Inst. SIP 1100#, 15 mins. SIP 900#, 0# in 2-1/2 hrs.7-11-66 On potential test 24 hrs. ending 6:00 AM 7-11-66 pumped Grayburg Jackson open
hole 2904-3300' 56 BNC Gvty 34.4 plus 12 BLW with GOR 1725:1. Recompleted for
calendar day allowable 45 BOPD.

RECEIVED

RECEIVED
JUL 14 1966
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Superintendent

DATE

7-12-66

(This space for Federal or State office use)

APPROVED BY

TITLE

DISTRICT ENGINEER

DATE

JUL 20 1966

CONDITIONS OF APPROVAL, IF ANY:

Orig & 2cc: USGS, Artesia
cc: Region Office
cc: file

*See Instructions on Reverse Side