

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Form C-110
Revised 7/1/55

(File the original and 4 copies with the appropriate district office)

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION
TO TRANSPORT OIL AND NATURAL GAS

Company or Operator AMBASSADOR OIL CORPORATION Lease FEDERAL "X"

Well No. 4 Unit Letter M S 21 T 17 R 30 Pool FREN

County EDDY Kind of Lease (State, Fed. or Patented) FED.

If well produces oil or condensate, give location of tanks: Unit N S 21 T 17 R 30

Authorized Transporter of Oil or Condensate CONTINENTAL PIPELINE CO.

Address P.O. Box 367 ARTESIA, NEW MEXICO

(Give address to which approved copy of this form is to be sent)

Authorized Transporter of Gas _____

Address _____ Date Connected _____

(Give address to which approved copy of this form is to be sent)

If Gas is not being sold, give reasons and also explain its present disposition:

Reasons for Filing: (Please check proper box) New Well ()

Change in Transporter of (Check One): Oil () Dry Gas () C'head () Condensate ()

Change in Ownership () Other (x)

Remarks: _____ (Give explanation below)

CHANGE IN LEASE NAME AND WELL NUMBER DESIGNATION, PREVIOUSLY REPORTED

AS MCINTYRE A, WELL #5-A

RECEIVED

JUL 20 1959

The undersigned certifies that the Rules and Regulations of the Oil Conservation Commission have been complied with.

Executed this the 16 day of JULY 19 59.

By [Signature]

Approved JUL 20 1959 19 59

Title PRODUCTION RECORDS SUPT.

OIL CONSERVATION COMMISSION

Company AMBASSADOR OIL CORP.

By [Signature]

Address 3101 WINTHROP

Title OIL AND GAS INSPECTOR

FT. WORTH, TEXAS

No. Copies Received:

DE 570 104

150

BRATON

1. *Chrysomelids*

200

[illegible][illegible]

Figure 1

10. **Answer: D**—The correct answer is D. The correct answer is D.

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Lichtenthaler and Whistler (1973). The total chlorophyll content was determined by the method of Arar and Cook (1980). The carotenoid content was determined by the method of Lichtenthaler and Whistler (1973). The total carotenoid content was determined by the method of Arar and Cook (1980). The total protein content was determined by the method of Lowry et al. (1951). The total lipid content was determined by the method of Bligh and Dyer (1959). The total carbohydrate content was determined by the method of Dubois and Gilles (1950). The total nucleic acid content was determined by the method of Burton (1956). The total ash content was determined by the method of AOAC (1990). The total moisture content was determined by the method of AOAC (1990). The total dry matter content was determined by the method of AOAC (1990). The total organic acid content was determined by the method of AOAC (1990). The total alkaloid content was determined by the method of AOAC (1990). The total saponin content was determined by the method of AOAC (1990). The total tannin content was determined by the method of AOAC (1990). The total flavonoid content was determined by the method of AOAC (1990). The total phenol content was determined by the method of AOAC (1990). The total terpenoid content was determined by the method of AOAC (1990). The total steroid content was determined by the method of AOAC (1990). The total glycoside content was determined by the method of AOAC (1990). The total alkaloid content was determined by the method of AOAC (1990). The total saponin content was determined by the method of AOAC (1990). The total tannin content was determined by the method of AOAC (1990). The total flavonoid content was determined by the method of AOAC (1990). The total phenol content was determined by the method of AOAC (1990). The total terpenoid content was determined by the method of AOAC (1990). The total steroid content was determined by the method of AOAC (1990). The total glycoside content was determined by the method of AOAC (1990).