

(SUBMIT IN TRIPLICATE)

Land Office Los CrucesLease No. LC-060528Unit Hadden-Benson BUNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of Sandoil</u> <u>xx</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Loco Hills, New Mexico July 8, 1955Well No. 88 is located 1980 ft. from N line and 660 ft. from E line of sec. 26NW 1/4 Sec. 26
(1/4 Sec. and Sec. No.)17-S
(Twp.)30-S
(Range)N.M.P.M.
(Meridian)Premier
(Field)2447
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 3612 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

RECORD OF PRODUCTION PRIOR TO TREATMENT: Pumped 3 BOPD. Total Prod. 58,808 B.O.

RECORD OF RECOMPLETION(1955):

6-4 Ran 103 jts. 2-1/2" EUE tubing to 3210' with Guilberson KV-30 E-W packer & H-1 hydraulic anchor at 3011. Loaded annulus with crude.

6-5 Fractured as follows: 5 1/2 bbls. crude; 251 bbls. 2 1/2 deg. refined oil and 98 bbls. crude containing 25,500 lbs. sand. Flushed with 60 bbls. crude. Max. inj. press. 3100 psig; at end of flush 3200 psig, dropping to 1200 psig upon stopping pump. Total inj. time 1 1/2 min. Load oil 561 bbls.

RESULTS OF TREATMENT:

6-6 Well on vacuum. Pulled 2-1/2" EUE, re-ran 2" EUE & rods.

6-7 Pumped 65 bbls. in 1 1/4 hrs.

6-8 Pumped 95 bbls.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Continued on page 2

Company GENERAL AMERICAN OIL COMPANY OF TEXASAddress P. O. BOX 416LOCO HILLS, NEW MEXICO

By

R. J. Heard

Title

R. J. Heard
Field Supt.

General American Oil Co. of Texas

Page 2

Subsequent Report of Sandell, Maddren-Beeson B 8

July 8, 1955

RESULTS OF TREATMENT (Cont'd):

6- 9 Pumped 54 bbls.
6-10 Pumped 43 bbls.
6-11 Pumped 32 bbls.
6-12 Pumped 32 bbls.
6-13 thru
6-22 Pumped 240 bbls.
6-23 Pumped 20 bbls. NET 18 BO.

SUBSEQUENT TESTS:

7- 7 Pumped 16 BO.
7- 8 Pumped 16 BO.

Page 2

General American Oil Co. of Texas

July 2, 1935

Independent Account of Landholdings, Western-Pecos Area

Section 16, Township 36N, Range 12E, County 100

1-2 1/2 Acres
1-10 1/2 Acres
1-11 1/2 Acres
1-12 1/2 Acres

1-13 1/2 Acres
1-14 1/2 Acres
1-15 1/2 Acres
1-16 1/2 Acres

Section 17, Township 36N, Range 12E, County 100

1-1 1/2 Acres
1-2 1/2 Acres