

F. RECORD OF DRILL-STEM AND SPECIAL TESTS.

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from Surface feet to 6945 TD feet, and from _____ feet to _____ feet.
Cable tools were used from 6875 PETD feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing August 24, 1960

OIL WELL: The production during the first 24 hours was 133 barrels of liquid of which 100 % was
was oil; 0 % was emulsion; 0 % water; and 0 % was sediment. A.P.I.
Gravity 44°

GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of
liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	280		T. Devonian.		T. Ojo Alamo.
T. Salt.	495		T. Silurian.		T. Kirtland-Fruitland.
B. Salt.	1085		T. Montoya.		T. Farmington.
T. Yates.	1208		T. Simpson.		T. Pictured Cliffs.
T. 7 Rivers.	1565		T. McKee.		T. Menefee.
T. Queen.	2240		T. Ellenburger.		T. Point Lookout.
T. Grayburg.	2650		T. Gr. Wash.		T. Mancos.
T. San Andres.	3170		T. Granite.		T. Dakota.
T. Glorieta.	4495		T.		T. Morrison.
T. Drinkard.			T.		T. Penn.
T. Tubbs.			T.		T.
T. Abo.	6667		T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
Surface	70	70	Red Bed & Sand	4375	4392	17	Chert & Dolo.
70	360	290	Red Bed, Anhyd. & Shells	4392	4486	94	Lime & Chert
360	431	71	Red Bed & Anhyd.	4486	4533	47	Lime & Dolo.
431	687	256	Lime & Anhyd.	4533	4594	61	Lime & Sand
687	1158	471	Salt & Anhyd.	4594	4634	40	Lime & Dolo.
1158	1435	277	Lime & Anhyd.	4634	4680	46	Lime, Sand & Dolo.
1435	1536	101	Gyp. & Anhyd.	4680	4726	46	Lime & Sand
1536	1642	106	Gyp. & Anhyd. & Lime	4726	5245	519	Lime & Dolo.
1642	2283	641	Anhyd. & Lime	5245	5345	100	Lime, Dolo. & Chert
2283	2361	78	Lime	5345	5538	193	Dolo. & Chert
2361	2416	55	Lime & Anhyd.	5538	5672	134	Dolo. & Sand
2416	2572	156	Lime	5672	5891	219	Dolomite
2572	2618	46	Lime & Red Bed	5891	5920	29	Dolomite & Sand
2618	3082	464	Lime	5920	6429	509	Dolomite & Chert
3082	3123	41	Lime & Anhyd.	6429	6444	15	Dolomite
3123	3901	778	Lime	6444	6670	226	Chert & Dolomite
3901	3926	25	Lime & Chert	6670	6676	6	Shale & Lime
3926	3943	17	Lime, Chert & Sand	6676	6687	5	Lime & Dolomite
3943	4004	61	Sand & Lime	6687	6915	228	Lime
4004	4093	89	Lime & Dolo.	6915	6945	30	Anhyd. & Lime
4093	4259	166	Sand & Lime				
4259	4261	2	Sand				
4261	4291	30	Chert & Sand				
4291	4331	40	Chert, Dolo. & Lime				
4331	4375	44	Chert, Dolo. & Sand				

CONTRACT NOTARY TO TD 6945', PETD6875'.

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

September 12, 1960 (Date)
Company or Operator Thomas Pacific Coal & Oil Co. Address P. O. Box 1688, Hobbs, New Mexico
Name _____ Position Title Petroleum Engineer