

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. 040539  
Unit Section #7

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL <u>RE-DRILL</u>	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Lezo Hills, New Mexico, April 20, 1941

Well No. 9-7 is located 2310 ft. from N line and 1650 ft. from W line of sec. 31  
NE 1/4 Section 31 17-8 29-8 NMPN  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Lezo Hills Edley New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3568 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

PRESSENT TOTAL DEPTH: 2851'.

PRESSENT PRODUING ZONE: Lezo Hills Sand from 2851 - 50'.

PRESSENT DAILY POTENTIAL: Well flows 4 to 5 BOPD on gas lift.

CUMULATIVE PRODUCTION THRU APRIL 20, 1941: 85,112 Barrels.

CASING RECORD: 8-5/8" OD 24' set at 625' with 50 sacks. 7" OD 20' set at 2722' with 100 sacks.

(Continued on Sheet -3-)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company GENERAL AMERICAN OIL COMPANY OF TEXAS

Address Box 416  
Lezo Hills, New Mexico

By R. J. Heard  
R. J. Heard,  
Field Supt.

Title

Sundry Notices and Reports on Wells  
Notice of Intention to Deepen  
Beeson F 5

April 20, 1951

Sheet -2-

WE PROPOSE TO DEEPEN THIS WELL AS FOLLOWS:

OBJECTIVE: Premier Sand.

NEW TOTAL DEPTH: Approximately 3090'.

ADDITIONAL CASING: Will run approximately 228' of 5-1/2" OD 15.5# liner from 2672' to 2900'. Liner will be hung at 2672' in 7" OD casing with a lead seal pack off liner hanger and cemented with 50 sacks of cement.

PROPOSED SHOOTING RECORD: In the event that commercial production is indicated from the Premier Sand this zone will be shot with 100 qts. of solidified nitro glycerin.

DRILLING OPERATIONS TO RECOMMENCE: On or about April 28, 1951, with a Company owned National Machine.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

P. O. Box 187  
Artesia, New Mexico

April 23, 1951

General American Oil  
Company of Texas  
Box 416  
Loco Hills, New Mexico.

Re: L.C. 060529


Gentlemen:


Receipt as acknowledged of your "Notice of Intention to Drill Deeper" your No. 5 Beeson "P" well located on the subject land in the SW $\frac{1}{4}$  NE $\frac{1}{4}$ , section 31, T. 17S., R. 30E., Loco Hills Field, Eddy County, New Mexico.

The proposed work is hereby approved subject to the submission of the following reports upon completion of deepening operations.

1. Furnish supplemental well log and well history upon completion and testing.
2. Furnish U. S. Geological Survey a sample description from old total depth of 2051 to new total depth.
3. Furnish usual "Notice of Intention to Shoot" for approval.

Very truly yours,

  
John A. Frost  
District Engineer.



U. S. DEPARTMENT OF THE INTERIOR  
BUREAU OF GEOLOGICAL SURVEY



1907

