

Perry Hughes 3/15
↔ ↔

Johnny Hickman
Midland

Steve Collins
Houston

281-537-9920
110 Cypress Station Dr
Ste 220 Houston
77090

MAX inj Press

1231 PSI

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

811 S. 1st Street
Artesia, NM 88210-2834

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT --" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other

Convert to injector

2. Name

AROC (Texas) Inc.

3. Address

C/O Shahara Oil, LLC

207 W McKay

4. Location

Carlsbad NM 88220

(505)885-5433

330' FSL & 330' FWL, Unit M
Section 31-T17S-R30E

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Beeson "F" Federal No. 2

9. Well API No.

30-015-04414

10. Field and Pool, or Exploratory Area

Loco Hills QN-GB-SA

11. County or Parish, State

Eddy County, New Mexico

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☒ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)


13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this zone.)

06/23/00 RIH w/3 7/8" mill tooth bit, 1-4 1/2" 11.60# scraper, 2 3/8" tbg & tagged @ 3067'. RIH w/4 1/2" 11.60# Model R pkr, 2 3/8" tbg and left hanging above perms.

06/24/00 Spotted 4 bbls acid @ 3016'. Pulled up & set pkr @ 2818'. Acidized perms 2837' to 3014' w/2500 gals 15% NEFE acid, pumped in @ the rate of 4 1/2 BPM @ 1900 psi. Released Model R pkr & POH laying down 2 3/8" tbg in singles.

06/26/00 RIH w/4 1/2" 11.60# plastic coated AD-1 tension pkr, 88 jts new 2 3/8" coated (TK-70) injection tbg. Set pkr @ 2779'. Pressure tested to 330 psi & held for 30 min. Test witnessed by OCD and original signed chart attached.

(Jenny Guye)



14. I hereby certify that the foregoing is true and correct

Signed

Thalia Marshall

Thalia Marshall

Title

Date 06/27/00

(THIS SPACE FOR FEDERAL OR STATE OFFICE USE)

Approved By

Title

Date

Conditions of approval, if any:

