ENGINEER

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Budget Bureau No. 42-R358.4.

Land Office ... Las Crisco

Non

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF.
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		1600 Mills, New Mexico Mevember 1, 1962					
Well No.	5 is locat	ted 2310 ft. f	rom N line	and 33 ft. from $\begin{bmatrix} E \\ \hline \end{bmatrix}$ lin	e of sec. 31		
SECTION		17-5	308	X.K.P.K.			
(½ 8	ec. and Sec. No.)	(Twp.)	(Range)	(Meridian)			
Lo	co Hills		Riddy	New Hest	.00		
	(Field)	(Co	unty or Subdivision)	(State or Terri			

The elevation of the derrick floor above sea level is 3567 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On Pobruary 21, 1962 we set cast iron bridge plug in 5 1/2" liner at 2900". ed 1 sack cement on plug. We perforated liner from 2859 to 2879' W/4 jote/ft. We rem tubing with straddle packer and soldied with 250 gallons and acid. After acid membed well dry. Well use tested periodically and showed so production until 9-22-62. On 9-23-62 pumped 26 20PD. On 10-31-62 well was pumping 55 80 & 25 MPD.

TO CHANGE SHELTO Company General American Cil Company of Texas P. O. Box 416 Address Loce Hills, New Mexico Title District Separate