

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. 060529
Unit Section #7

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Loco Hills, New Mexico, September 5, 19 51

Well No. 7-F is located 990 ft. from N line and 330 ft. from E line of sec. 31

32 1/2 N 1/2 34 31 17-S 30-E NMPN
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Loco Hills (Premier Sand Pay) Eddy New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3503 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TOTAL DEPTH: 3067'.

PAY ZONE: 3063-72' (Premier Sand = estimated 6' of net effective pay).

PRODUCTION NATURAL: Bailed 21 CG in 2 hours (= rate of 6 BOPD).

SHOT RECORD: On 9-16-51 shot with 220 quarts solidified nitroglycerin from 3038-3067'.

INITIAL PRODUCTION (PREMIER SAND PAY): Swabbed 24.84 BG in 24 hours thru 7" casing.

(Continued on Sheet -2-)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company GENERAL AMERICAN OIL COMPANY OF TEXAS

Address Box 416, Loco Hills, New Mexico

By _____

Title R. J. Heard,
Field Supt.

RE-COMPLETION DATE: 8-22-51.

SUBSEQUENT FLOW TESTS:

8-31-51 Flowed 35.88 BO in 24 hours stopcocking three 1 hour flows thru 3/4" choke.
9-1-51 Flowed 28.29 BO in 24 hours on same method of flow.
9-2-51 Flowed 25.53 BO in 24 hours on same method of flow.
9-3-51 Flowed 22.77 BO in 24 hours on same method of flow.
9-4-51 Flowed 21.29 BO in 24 hours on same method of flow with GOR of 617/1.
9-5-51 Flowed 24.15 BO in 24 hours on same method of flow.

1. The first part of the document is a list of names and addresses of the members of the committee.

2. The second part of the document is a list of names and addresses of the members of the committee.