


DUPLICATE

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Aston &amp; Fair

Box 218, Loco Hills, New Mexico

Company or Operator

Address

Scheurich

Well No.

4

in NE 1/4 SW 1/4

of Sec.

32

T. 17

Lease

R. 30

2755'

N. M. P. M.

Loco Hills

Field,

Eddy

County.

Well is 2755' feet south of the North line and 1435' feet west of the East line of Sec. 32-17-30

If State land the oil and gas lease is No. Assignment No. B 4108-3

If patented land the owner is Address

If Government land the permittee is Address

The Lessee is Address

Drilling commenced 3-31 19 41 Drilling was completed 5-15- 19 41

Name of drilling contractor Bert Wise Address Loco Hills, New Mexico

Elevation above sea level at top of casing 3581 feet.

The information given is to be kept confidential until 19

## OIL SANDS OR ZONES

No. 1, from 2875 to 2886 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 375 to 380 feet. 5

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

## CASING RECORD

| SIZE   | WEIGHT PER FOOT | THREADS PER INCH | MAKE     | AMOUNT | KIND OF SHOE | CUT & FILLED FROM | PERFORATED |    | PURPOSE |
|--------|-----------------|------------------|----------|--------|--------------|-------------------|------------|----|---------|
|        |                 |                  |          |        |              |                   | FROM       | TO |         |
| 8 1/2  | 28#             | 10               | Lapweld  | 486    | Regular      |                   |            |    |         |
| 5 5/16 | 24#             | 10               | Seamless | 2820   | Float shoe   |                   |            |    |         |
|        |                 |                  |          |        |              |                   |            |    |         |
|        |                 |                  |          |        |              |                   |            |    |         |
|        |                 |                  |          |        |              |                   |            |    |         |
|        |                 |                  |          |        |              |                   |            |    |         |
|        |                 |                  |          |        |              |                   |            |    |         |
|        |                 |                  |          |        |              |                   |            |    |         |
|        |                 |                  |          |        |              |                   |            |    |         |

## MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 10           | 8 1/2          | 486       | 50                  | Halliburton |             |                    |
| 7            | 5 5/16         | 2820      | 100                 | Halliburton |             | 5 tons             |
|              |                |           |                     |             |             |                    |
|              |                |           |                     |             |             |                    |
|              |                |           |                     |             |             |                    |

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
|------|------------|----------------------------|----------|------|-----------------------|-------------------|
|      |            |                            |          |      |                       |                   |
|      |            |                            |          |      |                       |                   |
|      |            |                            |          |      |                       |                   |

Results of shooting or chemical treatment

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

## PRODUCTION

Put to producing 19

The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

## EMPLOYEES

I. L. Whitaker Driller J. E. Beal Driller

I. L. Whitaker Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 15

Loco Hills, New Mexico 7-15-41

day of July 19 41

Name E. C. G. G. G.