

| | |
|---------------------------|-----|
| NUMBER OF COPIES RECEIVED | |
| DISTRIBUTION | |
| SANTA FE | 1 |
| FILE | 1 |
| U.S.G.S. | 2 |
| LAND OFFICE | 1 |
| TRANSPORTER | OIL |
| | GAS |
| PRODUCTION OFFICE | |
| OPERATOR | |

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

NEWMONT OIL COMPANY

(Company or Operator)

SCHEURICH

(Lessee)

Well No. 9, in NW 1/4 of SW 1/4, of Sec. 32, T. 17s, R. 30E, NMPM.

Loco Hills

Pool, Eddy

County.

Well is 1650 feet from South line and 990 feet from West line

of Section 32. If State Land the Oil and Gas Lease No. is 8-4108

Drilling Commenced October 18, 1962 Drilling was Completed November 20, 1962

Name of Drilling Contractor Tom Lloyd

Artesia, New Mexico

Address

Elevation above sea level at Top of Tubing Head The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 2876 to 2907 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | CUT AND PULLED FROM | PERFORATIONS | PURPOSE |
|-------|-----------------|-------------|------------------|--------------|---------------------|--------------|---------|
| 8 5/8 | 24# | | 463 | | | | Surface |
| 5 1/2 | 17# | | 2345 (on bottom) | | | | |
| 5 1/2 | 15.5# | | 506 (in middle) | | | | |
| 5 1/2 | 17# | | 22 (on top) | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 10 | 8 5/8 | 463 | 50 | Plug | | |
| 8 | 5 1/2 | 2873 | 110 | Plug | | |
| | | | | | | |
| | | | | | | |

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

11/21/62 Acidized with 500 gallons 15% acid.

Result of Production Stimulation

Depth Cleaned Out