Form 3160-5 (August 1999)

## N.M. Oil Cons. Lil/-Dist. UNI' STATES DEPARTMENT OF THE INTERIOR

1301 W. Grand Aveaus al No.

Temporarily Abandon

ORM APPROVED MB No. 1004-0135	 0

**BUREAU OF LAND MANAGEMENT** 

abandoned well. Use Form 3160-3 (APD) for such proposals.

sundry notices and reports on well artesia, NM 882 Do not use this form for proposals to drill or to re-enter an

	NA
SUBMIT IN TRIPLICATE - Other instructions on reverse side	7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well  Oil Well Gas Well X Other Water Injection Woll  1. Type of Well X Other Water Injection Woll	NA
2. Name of Operator	8. Well Name and No. H.E. West "B" #3
Devon Energy Production Co., L P  3a. Address 3b. Phone No include area code (1)	9. API Well No. 30-015-05068
20 N.Broadway, Suite 1500, Okia City, OK 73102 (405)552-4528 000 (1505)	10. Field and Pool, or Exploratory Area Grayburg-Jackson Field
000 1 NE & 1900 1 WE OF Section 4-1 173-NSTE Office \\2	11. County or Parish, State Eddy County,
\$200 CO	New Mexico
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, RI	EPORT, OR OTHER DATA

TYPE OF SUBMISSION TYPE OF ACTION ☐ Acidize Deepen Production (Start/ Resume) ☐ Water Shut-Off Notice of Intent Alter Casing Fracture Treat ☐ Well Integrity ☐ Reclamation ☐ Subsequent Report New Construction Casing Repair Recomplete Other \_ Change Plans ☐ Plug and Abandon

☐ Convert to Injection ☐ Plug Back ☐ Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has

It is Devons intent to further evaluate and develope the Seven Rivers interval for additional exploitation potential. Devon requests, that in lieu of permanently plugging this well, that the wellbore be allowed to be temporarily abandoned prior to being utilized for future use as a Seven Rivers producer or injector. Plugging this well would possibly necessitate it being re-

Devon Proposes To Temporarily Abandon The Wellbore as Follows:

- 1. POOH with 2 3/8" tubing and packer.
- 2. Clean out wellbore with bit and scrapper.

determined that the site is ready for final inspection.)

3. RIH with 7" CIBP and set at 3,150'.

☐ Final Abandonment Notice

drilled at a future date.

- 4. Circulate wellbore full with corrosion inhibited packer fluid.
- 5. Run MIT, pressure test casing to 500 psi for thirty(30) minutes and submit chart to BLM.

Note: BLM shall be notified 24 hours prior to MIT and test shall be witnessed by a BLM representative.

14. I hereby certify that the foregoing is true and correct	
Name (Printed/Typed)	Title
Charles H. Carleton	Senior Engineering Technician
Signature Halton Market	Date 04/19/2002
THIS SPACE FOR FEDERA	LOR STÂTE OFFICE USE
Approved by (ORIGE SGD.) JOE G. LARA	Title Petrolaum Franco Date 65/02
Conditions of approval, if any, a attached. Approval of this notice does not warrs certify that the applicant holds and or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.	ant or ease Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SUSTERS OF STREET

## **DEVON ENERGY CORPORATION WELLBORE SCHEMATIC** WELL NAME: H.E. WEST "B" #3 FIELD: GRAYBURG-JACKSON LOCATION: 660'FNL & 1980'FWL, SEC 4-T17S-R31E COUNTY: EDDY STATE: NM ELEVATION: GL=3950'; KB=UNK SPUD DATE: 02/26/46 COMP DATE: 05/16/46 API#: 30-015-05068 PREPARED BY: C.H. CARLETON DATE: 10/30/97 **DEPTH** WEIGHT SIZE **GRADE** THREAD HOLE SIZE 10 3/4" 0' - 714' **CASING** 32.75# 0' - 3291' CASING: 7" 24# CASING: 3227' - 3799' 4 1/2" 9.5# 6" TUBING: 0' - 3125' 2 3/8" 4.7# J-55 EUE 8rd TUBING: CURRENT PROPOSED OPERATOR: DEVON ENERGY CORPORATION(NEVADA) 10 3/4" CASING @ 714' W/100 SXS. TOC @ 360'(calculated) **DETAIL OF PERFORATIONS** U.GRAYBURG: 3210'-3218' LOCO HILLS: 3258'-3268' METEX: 3290'-3302', 3313'-3318' L.GRAYBURG: 3352'-3357', 3392'-3406' PREMIER: 3414'-3426' (NOTE: PERFORATIONS @ 2 SPF) **GUIBERSON PACKER @ 3125'** 7" CASING @ 3291' W/100 SXS. TOC @ 3040'(calculated) PERFORATIONS: 3210'- 3426' (OA) - 132 HOLES PBTD @ 3755' 4 1/2" LINER @3227'- 3799' W/755 SXS. TD @ 3800'

## **DEVON ENERGY CORPORATION WELLBORE SCHEMATIC** WELL NAME: H.E. WEST "B" #3 FIELD: GRAYBURG-JACKSON LOCATION: 660'FNL & 1980'FWL, SEC 4-T17S-R31E COUNTY: EDDY STATE: NM ELEVATION: GL=3950'; KB=UNK SPUD DATE: 02/26/46 COMP DATE: 05/16/46 API#: 30-015-05068 PREPARED BY: C.H. CARLETON DATE: 04/18/02 HOLE SIZE DEPTH SIZE WEIGHT GRADE **THREAD** CASING: 0' - 714' 10 3/4" 32.75# CASING: 0' - 3291' 7" 24# 3227' - 3799' 4 1/2" CASING: 9.5# 6" TUBING: TUBING: CURRENT PROPOSED OPERATOR: DEVON ENERGY CORPORATION(NEVADA) 10 3/4" CASING @ 714' W/100 SXS. TOC @ 360'(calculated) CIBP @ 3150' 7" CASING @ 3291' W/100 SXS. TOC @ 3040'(calculated) PERFORATIONS: 3210'- 3426' (OA) - 132 HOLES PBTD @ 3755' 4 1/2" LINER @3227'- 3799' W/755 SXS. TD @ 3800'