

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved,
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☒	GAS WELL ☐	DRY ☐	Other ☐		
b. TYPE OF COMPLETION:		NEW WELL ☐	WORK OVER ☐	DEEP-EN ☒	PLUG BACK ☐	DIFF. RESVR. ☐	Other ☐
2. NAME OF OPERATOR Sinclair Oil & Gas Company						5. LEASE DESIGNATION AND SERIAL NO. Las Cruces 029435(b)	
3. ADDRESS OF OPERATOR P. O. Box 1920, Hobbs, New Mexico						6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 660' from North line and 1980' from East line At top prod. interval reported below At total depth Same as above						7. UNIT AGREEMENT NAME	
14. PERMIT NO.						8. FARM OR LEASE NAME J. L. Keel "B" Jr. 2	
DATE ISSUED						9. WELL NO. 10	
15. DATE SPUDDED 4-28-65						10. FIELD AND POOL, OR WILDCAT Grayburg Jackson	
16. DATE T.D. REACHED 5-18-65						11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA 8-T17S-R31E	
17. DATE COMPL. (Ready to prod.) 5-31-65						12. COUNTY OR PARISH Eddy	
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3812' GR						13. STATE New Mexico	
20. TOTAL DEPTH, MD & TVD 3413'		21. PLUG, BACK T.D., MD & TVD		22. IF MULTIPLE COMPL., HOW MANY*		19. ELEV. CASINGHEAD 3127'-3413'	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 3019'-3413' Grayburg Jackson						25. WAS DIRECTIONAL SURVEY MADE Yes	
26. TYPE ELECTRIC AND OTHER LOGS RUN Gamma Ray Neutron Collar log						27. WAS WELL CORED No	
28. CASING RECORD (Report all strings run in well)							
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED		
10-3/4" OD	32.75#	594'					
7" OD	26#	3019'					
29. LINER RECORD							
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	TUBING RECORD		
					SIZE	DEPTH SET (MD)	
					2-7/8" OD	3014'	
30. TUBING RECORD							
31. PERFORATION RECORD (Interval, size and number) 3019'-3413' (open hole)							
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.							
DEPTH INTERVAL (MD)			AMOUNT AND KIND OF MATERIAL USED				
3195-3255'			500 gals. H.A.				
3280-3340'			500 gals. Spearhead Acid				
3340-3413'			500 gals. H.A.				
33.* PRODUCTION							
DATE FIRST PRODUCTION 5-25-65		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping - 2" rod			WELL STATUS (Producing or shut-in) Producing		
DATE OF TEST 5-31-65	HOURS TESTED 24 hrs.	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL. 132	GAS—MCF. 32	WATER—BBL. 10	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL. 132	GAS—MCF. 32	WATER—BBL. 10	GAS-OIL RATIO 240:1	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold			OIL GRAVITY-API (CORR.) 34.6				
35. LIST OF ATTACHMENTS						TEST WITNESSED BY J. Fred Stickleland	
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED [Signature]		TITLE Superintendent			DATE 6-2-65		

*(See Instructions and Spaces for Additional Data on Reverse Side)

Orig: 2cc: USGS, Artesia; cc: Regional Office, cc: file

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Grayburg	3127'	3189'	Gray Lime			
"	3189'	3205'	Brown Lime			
"	3205'	3224'	White Lime			
"	3224'	3237'	Brown Lime			
"	3237'	3261'	Brown & White Lime			
	3261'	3287'	White Lime			
	3287'	3302'	Sandy Lime			
	3302'	3330'	White Lime			
	3330'	3375'	Gray Lime			
	3375'	3413' TD	Dark Gray Lime			