(1	Feb. 1	951)	

(SUBMIT IN TRIPLICATE)

Land Office Lease No. Unit H. L. best *pr

UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

OTICE OF INTENTION	TO DRILL	>3£	CURCOURNE PERCENT CO.		
	CE OF MERCEN TO THE PROPERTY OF THE PROPERTY O			WATER SHUT-OFFSHOOTING OR ACIDIZING	1 1
	OTICE OF INTENTION TO TEST WATER SHUT-OFF				
				RE-DRILLING OR REPAIR	1 1
				OF ABANDONMENT	
OTICE OF INTENTION	TO PULL OR ALTER CASI	1 11		STORY	1 8
OTICE OF INTENTION	TO ABANDON WELL	i II			
	(INDICATE ABOVE E	BY CHECK MARK NATUR	RE OF REPORT, NOTICE, OR	OTHER DATA)	
		*****		August 2,	, 19 57
ell No. 😘	is located 199	0 ft. from \mathbf{N}	line and 660 f	ft. from $\left\{ \begin{array}{c} \blacksquare \\ \mathbb{W} \end{array} \right\}$ line of sec.	10
124/4 10 (½ Sec. and Sec. N	(a)	175 11 (Range	E MOP	(· ·)	
ayburg-Jacies		wp.) (Range	, (Madrida	an) New Yorking	
(Field)		(County or Subdi	ivision)	(State or Territory)	
1 (.1		1 1.	_		
e elevation of th	e derrick noor ar	pove sea level is	ft.	and the second of the second o	e hama ku
e elevation of th	e derrick noor ar			AUG 8 for	(v. Razma Zeci v./
	ted depths to objective s	DETAILS (OF WORK		o water and
	ted depths to objective s	DETAILS (OF WORK	sed casings; indicate mudding jol	bs, cement-
te names of and expec	ted depths to objective a ing p	DETAILS (sands; show sizes, weigo oints, and all other in	OF WORK	sed casings; indicate mudding jol 30 H N A . FRO COSTRICT ENOVA	bs, cement-
te names of and expec	ted depths to objective a ing p	DETAILS (sands; show sizes, weigo oints, and all other in	OF WORK ghts, and lengths of propos nportant proposed work)	sed casings; indicate mudding jol 30 H N A . FRO COSTRICT ENOVA	bs, cement-
te names of and expec	ted depths to objective a ing p	DETAILS (sands; show sizes, weigoints, and all other in	OF WORK ghts, and lengths of propos nportant proposed work)	sed casings; indicate mudding jol 30 H N A . FRO COSTRICT ENOVA	bs, cement-
SINCLAIR (10 3/4" 7" Propose to	ted depths to objective a ing p OIL & CAS CAMP 32.754 17-205	DETAILS (sands; show sizes, weige oints, and all other in ARC'S WELL # 700*	OF WORK ghts, and lengths of propos nportant proposed work) 300 sign.	casings; indicate mudding jol 10 HN A. FRO DISTRICT ENGLE	bs, cement-
SINCLAIR (10 3/4" 7" Propose to	ted depths to objective a ing p OL & CAS CAP 32.759 17-206 drill well w	DETAILS (sands; show sizes, weige oints, and all other in ARC'S WELL # 700*	OF WORK ghts, and lengths of propos nportant proposed work) 300 stor.	casings; indicate mudding jol 10 HN A. FRO DISTRICT ENGLE	bs, cement-
SINCLAIR (10 3/4" 7" Propose to	ted depths to objective a ing p OL & CAS CAP 32.759 17-206 drill well w	DETAILS (sands; show sizes, weige oints, and all other in ARC'S WELL # 700*	OF WORK ghts, and lengths of propos nportant proposed work) 300 stor.	casings; indicate mudding jol 10 HN A. FRO DISTRICT ENGLE	bs, cement~
SINCLAIR (10 3/4" 7" Propose to	ted depths to objective a ing p OL & CAS CAP 32.759 17-206 drill well w	DETAILS (sands; show sizes, weige oints, and all other in ARC'S WELL # 700*	OF WORK ghts, and lengths of propos nportant proposed work) 300 stor.	casings; indicate mudding jol 10 HN A. FRO DISTRICT ENGLE	bs, cement-
SINCLAIR (10 3/4" 7" Prepose to 3750' to 3	17-206 drill well w	DETAILS (sands; show sizes, weigoints, and all other in ANY'S WELL N 700' 3900'	OF WORK ghts, and lengths of propose nportant proposed work) 300 see. 300 see. 300 see.	San Andree Sand	ba, cement-
STACIAIR (10 3/4º 7º Propose to 3750° to 3	17-206 drill well well work must receive a ring p	DETAILS (sands; show sizes, weigoints, and all other in 700 700 700 The cable too	OF WORK ghts, and lengths of propose nportant proposed work) 300 see. 300 see. 300 see.	San Andree Sand	ba, cement-
STACIAIR (10 3/4º 7º Propose to 3750° to 3	17-206 drill well w	DETAILS (sands; show sizes, weigoints, and all other in 700 700 700 The cable too	OF WORK ghts, and lengths of propose nportant proposed work) 300 see. 300 see. 300 see.	San Andree Sand	ba, cement-
STACLAIR (10 3/4" 7" Prepose to 3750' to 3 understand that this mpany	17-206 drill well well work must receive a ring p	DETAILS (sands; show sizes, weigoints, and all other in 700 700 700 The cable too	OF WORK ghts, and lengths of propose nportant proposed work) 300 see. 300 see. 300 see.	San Andree Sand	ba, cement-
SINCLAIR (10 3/4" 7" Prepose to 3750' to 3 understand that this mpany	17-20f drill well well work must receined to the control of the c	DETAILS (sands; show sizes, weigoints, and all other in 700 700 700 The cable too	OF WORK ghts, and lengths of propose nportant proposed work) 300 see. 300 see. 300 see.	San Andree Sand	ba, cement-

GPO 9 18 507

W MEXICO OIL CONSERVATION COMM155ION

Well Location and Acreage Dedication Plat

Sect	tion A.			•		Date	2, 2997	
Well Loca Coun Name 1.	ted 1980 oty Product Is the Open	ing Formation rator the only o	Section Li Li Elevation	ne, <u>660</u>	Dedicate	t From_ d Acreage_	Range	NMPM Line Acres
2.	If the answ consolidate "yes," Type	No	one is "no," ation agreeme	have the i	nterests o	f all the ov	wners been If answ	ver is
-		<u>Owner</u>			Land Desci	ription		
Secti	ion. B			-				
	1980	1 		 		information above is t	certify the noin Section rue and come to find the contract of	n A plete
660	1					Repre	rator)	The smile
						well locat plat in Sec from field surveys made my supervisus same is truthe best of belief. Date Survey	certify that ion shown or ction B was notes of acde by me or sion and that ie and correct my knowled 19/5/57	n the plotted ctual under at the ect to dge and
330	660 990 I3	20 1650 1980 2310 2 (See instruc	zions for cor	npleting th	soo o	Engineer ar	Professionand/or Land S No. 423 side)	

INSTRUCTIONS FOR COMPLETIC"

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the platter the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)