

Form 9-331
Dec. 1973

NM OIL CONS. COMMISSION

Bureau DD

Artes UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYForm Approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☐ other ☒ Injection Well2. NAME OF OPERATOR
Getty Oil Company ✓3. ADDRESS OF OPERATOR
P.O. Box 730; Hobbs, New Mexico 882404. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: Unit Ltr. L 1980 FSL & 660 FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☒
☐
☐
☐
☐
☐
☐RECEIVED
OCT 14 1981OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

5. LEASE

LC - 029418 (A)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME RECEIVED

7. UNIT AGREEMENT NAME

Skelly Unit

OCT 20 1981

8. FARM OR LEASE NAME

Skelly Unit

O. C. D.

9. WELL NO.

24

ARTESIA, OFFICE

10. FIELD OR WILDCAT NAME

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 14, T-17-S, R-31-E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3897' DF

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9-16-81 Rigged up Pengo, Released Baker AD-1, and nipples up BOP. POH with tubing & packer.

9-17-81 Ran bit and tagged top of Baker Model N Production packer @ 3503'. Washed over packer. Ran bit and scraper and cleaned out to 3829' (PBTD).

9-23-81 Rigged up Knox Service. Spotted 250 gals. Xylene over perfs 3821-3822; Acidized with 5,000 gals. NE FE Acid.

9-24-81 Ran 5 1/2" Baker AD-1 packer with 103 Jts, (3233') 2 3/8" IPC Tubing. Circulated well with treated water Set Packer @ 3233' with 14,000# Tension. Nipped up Injection line. Rigged down.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Dale R. Crockett

TITLE

Area Superintendent

DATE

October 9, 1981

APPROVED BY
CONDITIONS OFACCEPTED FOR RECORD
PETER W. CHESTER

TITLE

DATE

OCT 16 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side