

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

### Southeastern New Mexico

### Northwestern New Mexico

T. Anhy _____ 455	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____ 460	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____ 718	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____ 904	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____ 1190	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____ 1855	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____ 2304	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____ 2664	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinberry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

### FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	80	80	Sand				
80	190	110	Red Bed				
190	345	155	Gyp & Red Bed				
345	460	115	Red Sand				
460	720	260	Salt				
720	990	270	Red Shale				
990	1090	100	Anhy & Shale				
1090	1190	100	Red Shale				
1190	1870	680	Red Sand				
1870	1900	30	Anhy				
1900	2040	140	Lime				
2040	2130	90	Anhy				
2130	2290	160	Lime				
2290	2550	260	Sandy Lime				
2550	2698	148	Lime				

Hugh L. Johnston, Sr. Well No. 4 Green Federal

RECEIVED

SEP 8 1965

O. C. C.  
ARTESIA, OFFICE