## UNITE TATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

N.M. Oil Cons -ivision 811 S. 1st Street

Expires November 30, 2000

FORM APPROVED OMB. No. 1004-0135

Artesia, NM 882 10-2834 erial No. LC-028992 (j)

SUNDRY NOTICES AND REPORT ON WELLS

not use this form for proposals to drill or to re-enter an

abandoned	well. Use Form 3160-3 (APE		o. Il malali, Allottee	or Tibe Name	
Type of Well SUBMIT IN TRIPLICATE - Other instructions on reverse side - 12320				7. If Unit or CA/Agreement, Name and/or No.  Grayburg Jackson	
Oil Well Gas V	Other Injection	7.62 <b>80</b>	8. Well Name and No	6A 1	
Name of Operator	n Energy Dertners Inc	. V (8) 007 2	5-4 Tr 5		
Address of Operator	n Energy Partners, Inc		S. API Well No.	15-10758	
	St., Suite 750, Denver		10. Field and Poo	I, or Exploratory Area	
Location of Well (Foolage, Sec., T., R., M.,	or Survey Description)		11. County or Paris	h, State	
660' FSL-1980' FWL-	Sec 22-T17S-R30-E		Eddy		
12. CHECK APP	PROPRIATE BOX(ES) TO INI	DICATE NATURE OF N	OTICE, REPORT, OR OTHER	DATA	
TYPE OF SUBMISSION TYPE OF ACTION					
N/: Nation of Antonia	Acidize	Deepen	Production (Start/Resume)	Water Shut-Off	
Notice of Intent	Alter Casing	Fracture Treat	Reclamation	Well Integrity	
Subsequent Report Final Abandonment Notice	Casing Repair	New Construction	Recomplete	Other	
	change Plans	Plug and Abandon	Temporarily Abandon		
	Convert to Injection	Plug Back	Water Disposal		
If the proposal is to deepen die Attach the Bond under which t following completion of the inv testing has been completed. I determined that the site is rear	rectionally or recomple horizontally, givence work will be performed or provide the olived operation. If the operation resultion had been abandonment Notices shall be filled to final inspection).	e subsurface locations and meast he Bond No. on file with BLM/Bl/ lits in a multiple completion or rect ed only after all requirements, inc	ting date of any proposed work and approxured and true vertical depths of all pertinents. Required subsequent reports shall be mpletion in a new interval, a Form 3160-4 cluding reclamation, have been completed, (S, 4 1/2" casing @ 3208	t markers and zones. filed within 30 days t shall be filed once and the operator has	
w/100 sxs. Perfo	rations @ 3168-3170' 8	& 3172-3174'.			
Proposed Proced	dure:				
1. Set CIBP @	2) 3050' and place 35' c	cement on top.			
2. Back off 4 1/2" casing @ a freepoint & place 100' cement plug (50' in & 50' above) the 4 1/2".					
			sing & annulus full of cer	,	
4. Affix a dry hole marker in the top plug.					
5. Remove all	equipment and clear t	he location of debris	<b>S</b> .		
6. Restore the	surface to its original	condition and resee	d according to BLM spec	ifications.	
Temp 11 15 *	Phy 5 1350 1250 In	nside + Chitride 41/2	"CASTING TO ! - MS		
# 21 (x cemin [	- Plug 584' 484' Insi	ite + outside 4 1/2" min	TAG ASTA ATTAGES  CONDITIONS OF	ED FUH APPROVAL	
Name (Printed/Typed)  John L	and is true and correct	Title Ager			
Signature Au	hetta	Date Oct	15, 2000		
T .	THIS SPACE FOR FEL	DERAL OR STATE OFFIC	E USE		

Title

Office

ON TAKE

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon.

Approved by

P.E.

OCT 23 2000

BLM
ROSWELL, NM

30 015 10758 WIW. / Fed.

N. 22.17.30

Pendingon Energy

G. J. UTTI 5 # 1

Topi

+ Porto su', cia imi.

+ 100'- 546' 4H6'- 176

+ 100 0 1350. TAL-

\* BAINOFF (1) NO CONT Ply. TAG

\* Run i sci CIAPO 3050 - w/35 cont

T. Port 3168.

4/2.

WISUSX

3708

w/1001X