Form 3160-5 (November 1983) (Formerly 9-331)

UNITEL STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE *
(Other Instructions on reverse side)

Budget Bureau No. 1004-0135 Expires August 31, 1985

BOKEAO OF EAIND INFANAGEMENT			5. LEASE DESIGNATION AND SERIAL, NO. LC-029418-A				
SUNDRY NOT	6. IF INDIAN, ALLOTTEE OR TRIBE NAME						
(Do not use this form for pror							
Use "APPLICATION FOR PERMIT - " for such proposals.)			7. UNIT AGREEMENT NAME				
OIL GAS WELL GAS	Skelly Unit						
2. NAME OF OPERATOR		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8. WELL NO.				
The Wiser Oil Company			38	38			
3. ADDRESS OF OPERATOR	9. API Well No.						
3. ADDRESS OF OPERATOR P.O. Box 2568 Hobbs, New Mexico 88240 (505) 392-9797			30-015-10770				
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. ARTESIA See also space 17 below.) At surface			10. FIELD AND POOL, OR WILDCAT Grayburg Jackson Seven Rivers QN-GB-SA				
		, 4 ³ /	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA				
560' FNL & 1980' FEL Unit B	Sec. 23-T17S-R31E						
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)			l I	13. STATE			
	3883' GR		Eddy County	NM			
16. Check A	Appropriate Box to indicate Natur	e of Notice, Report, or Othe	er Data				
NOTICE OF INT	ENTION TO:	SUI	SUBSEQUENT REPORT OF:				
TEST WATER SHUT OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL				
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING	\square			
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT *				
REPAIR WELL	CHANGE PLANS	(Other) Temporary Abandon .					
(Note: Report results o			f multiple completion on Well				
(Other)	pletion Report and Log form.)						
	drilled, give subsurface locations and measu	ared and true vertical depths for all r	markers and zones pertinent to this work.)				
	se pkr. & NU BOP's. POH w/2-3/8" IPC tbg						
perfs. @ 750# w/2 bpm. RIH w/retainer & set @ 1740'. Halliburton squeezed perfs. @ 1800' w/200 sks. Halliburton light w/6# salt & 50 sks. Class "C" w/2% CaCl. Final							
pressure 1016#. POH w/tbg. Flow	• •						
12/21/00 RU Computalog WL. Ran temper	rature survey f/surface to 1700'. Found top of	f cement @ 1120'. Shot 4 holes @ 10)90'. RD WL. Circulate hole with full retur	rns. RIH w/			
2-3/8" tbg. LD tbg. ND BOP's &	WH. RDMO. RUBJ Services. Squeezed 1	holes @ 1090' with 300 sks. 65-35 P	OZ w/6# salt & 50 sks. Class "C" w/2% CaC	Cl. Did not			
circulate cement.							
12/22/00 Ran temperature survey f/surface t	to 950'. Found top of cement @ 660'. RU C	computalog & shot 4 holes @ 630'.					
12/23/00 RU BJ Services. Cement perfs. @	630' w/250 sks. Class "C" neat. Circulate of	cement out the outside of the 8-5/8" &	t inside 8-5/8" casing. Displaced cement to	600'.			
Circulate 50 sks. to pit. Flow stop	ped.						
12/30/00 RIH w/4-3/4" blade bit, bit sub &	6 3-1/2" DC's on 2-7/8" work string. Tag ce	ment @ 590'. Drill to 610'. No wat	er flow. POH & change to 4-3/4" cone bit.	RIH w/bit,			
	led to 640'. Fell out. Tag @ 982'. Drill out						
18. I hereby certify that the foregoing is true as							
			D. mp. O. 4.1 AC A001				
SIGNED TIPAL OF JULIAN Mary Jo Turner	TITLE Production T	ech II	DATE <u>October 25, 2001</u>				
(This space for Federal or State office use)							
APPROVED BY	TITLE		DATE	<u></u>			
CONDITIONS OF APPROVAL, IF ANY:							

*See Instruction On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (November 1983) (Formerly 9-331)

UNITEL STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE *
(Other Instructions on reverse side)

Budget Bureau No. 1004-0135 Expires August 31, 1985

				DESIGNATION AND SE 9418-A	RIAL NO.	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals.)				6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
OIL GAS WELL WIW				7. UNIT AGREEMENT NAME Skelly Unit		
2. NAME OF OPERATOR			8. WELL NO.			
The Wiser Oil Company 3. ADDRESS OF OPERATOR			38			
P.O. Box 2568 Hobbs, New Mexico 88240 (505) 392-9797			9. API Well No. 30-015-10770			
LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface			10. FIELD AND POOL, OR WILDCAT Grayburg Jackson Seven Rivers QN-GB-SA			
560' FNL & 1980' FEL Unit B			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 23-T17S-R31E			
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, F 3883' GR	RT, GR, etc.)		TY OR PARISH	13. STATE	
16. Check		e of Notice Report or Othe		County	NM	
PP-PP-INC 2011 to Indiana Financia, Report, or Other			BSEQUENT REPORT OF:			
TEST WATER SHUT OFF	PULL OR ALTER CASING	WATER SHUT-OFF		REPAIRING WELL		
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT		ALTERING CASING		
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING		ABANDONMENT *		
REPAIR WELL	CHANGE PLANS	(Other) Temporary Abandon				
			of multiple completion on Well upletion Report and Log form.)			
17. DESCRIBE PROPOSED OR COMPLET	TED OPERATIONS: (Clearly state all pertindrilled, give subsurface locations and measure	ent details, and give pertinent dates	including es	imated date of starting any		
	ut to 1120'. Fell out. Tag @ 1735'. Circulate					
to surface. Top of cement @ surf		e note clean. POH w/work string & to	ols. RU Com	putalog WL. Ran cement be	ond log f/1735'	
. •			,			
11/30/01 Test casing to 500 PSI. (Copy of	pressure chart attached, original to NMOCD).	Test performed/witnessed by Nick Ji	menez with G	andy Corporation.		
				23 A 56 7 8 9 10	Maria Constant	
				E RECEIVE OCD - ART	D ESIA STORY	
18. I hereby certify that the foregoing is true as	nd correct.			100 mm		
SIGNED Mary On Juanin Mary Jo Turner	TITLE Production Te	ch II	DATE _	October 25, 2001		
(This space for Federal or State office use)						
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TTTLE		_ DATE_		<u>·</u>	

*See Instruction On Reverse Side



