

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRI. CATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

028731-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Sunray DX Oil Company		8. FARM OR LEASE NAME M. Dodd "B"
3. ADDRESS OF OPERATOR P. O. Box 1416 - Roswell, New Mexico		9. WELL NO. 24
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980 FNL & 1980 FEL		10. FIELD AND POOL, OR WILDCAT Grayburg Jackson
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 14, T-17-S, R-29-E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3633 KB		12. COUNTY OR PARISH Eddy
		13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

Completion

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Move in rotary rig and spud.
2. Drilled 12-1/4" hole to 518'.
3. Cmt 513' 8-5/8" 24# J-55 csg w/300 sx Incor Posmix w/2% CaCl. Circulated cmt. WOG. 18 hrs. Tested csg to 1000# for 30 min. Tested OK.
4. Drilled 7-7/8" hole to 2703. Filled hole w/water & ran GR Density.
5. Cmt 2697' 4-1/2" 9.6# J-55 csg w/250 Incor Posmix w/2% CaCl. Tested csg to 1000# for 30 min. Tested OK. Cmt top at 1230'.
6. Perf with 1 hole/ft at 2479, 2481, 2483, 2485, 2487, and 2489.
7. Acidized perms w/500 gal BDA. Fraced w/20,000 gals refined oil and 30,000# sand.
8. Ran 2-3/8" tbg to 2452 (SN at 2431).
9. Well complete.
10. Recovering load oil.

RECEIVED

1967

U. S. G. S.
ARTESIA, NEW MEXICORECEIVED
SEP 11 1967
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

John Hastings

TITLE

District Engineer

DATE

8-30-67

(This space for Review of State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

APPROVED
SEP - 5 1967
R. L. DELINIAN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

In compliance with Rule 111 New Mexico Oil Conservation Commission Rules and Regulations, the following are the deviation tests for the Sunray DX Oil Company's

M. Dodd "B" #24 - 1980/N 1980/E Unit G-14-175-29 E

Degrees	Depth
1/4°	300
1/2°	516
3/4°	998
1°	1493
1°	1948
3/4°	2440
3/4°	2700

RECEIVED
SEP 11 1967
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

I, John Hastings being first duly sworn on oath state that I have knowledge of the facts and matter set forth and that the same are true and correct.

John Hastings
(SIGNATURE)

Subscribed and sworn to before me this 31 day of Aug - 67.

Charles E. Galt
Notary Public in and for Chaves
County, New Mexico

My Commission Expires May 11 1971

