Form 3160-5 (November 1983) (Formerly 9-331)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

il Cons.

SUBMIT IN TRIVIMTEDIV-Dist Ereau No. 1004-0135
(Other Instruction VV. Grand Avenue August 31, 1985
reverse ide.)

Artesia, NMAS 3020 Oution and Serial NO.

C15 YV

			LC-029418-A		
(Do not use this form for pro	TICES AND REPORTS ON oposals to drill or to deepen or plug back to a decay of the control of the	hifferent reservoir.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
OIL GAS WELL WELL	OTHER		7. UNIT AGREEMENT NAME Skelly Unit		
2. NAME OF OPERATOR			8. WELL NAME AND NO.		
The Wiser Oil Company			111		
3. ADDRESS OF OPERATOR			9. API WELL NO.		
P.O. Box 2568 Hobbs, New Mexico 88241			30-015-20548		
LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface			10. FIELD AND POOL, OR WILDCAT Grayburg Jackson 7RVS QN GB SA		
7,			11. SEC., T., R., M., OR BLK. AND		
1980, EAL & 660, EET			SURVEY OR AREA		
Unit I			Sec. 14-T17S-R31E		
14. PERMIT NO 15. ELEVATIONS (Show whether DF, R		T CD etc.)	12. COUNTY OR PARISH	13. STATE	
14. PERMIT NO	3922' DF	1, OK, CLC.)	Eddy County	NM	
Charl	Appropriate Box to indicate Nature	estation Donat or Other		ININI	
16. Check NOTICE OF IN	_	SUBSEQUENT REPORT OF:			
nonebor in		501	DEQUENT REPORT OF		
TEST WATER SHUT OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL		
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING		
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT *		
		(Other) Add Vac perfs.	erfs. & acidize Its of multiple completion on Well		
(Other)		Completion or Recompletion Report and Log form.)			
17. DESCRIBE PROPOSED OR COMPLET	FED OPERATIONS: (Clearly state all pertine drilled, give subsurface locations and measur	ent details, and give pertinent dates.	, including estimated date of starting any	•	
6/26/97 MIRU Ram Well Service. POH w/g	oump & rods. RIH w/4-3/4" bit & 2-3/8" tbg.	to 3746'.			
75',76',77',78',82',83',84',3707',	f/3437'-41',72'-78',94',95',3506',07',08',12 & 08' w/1 SPF (46 holes). RD HLS. RIH w 0# salt & 62 ball sealers. ATP 1750# @ 5 bp	Baker pkr. & set @ 3270'. HES a	cidized San Andres Vacuum Grayburg 3	354'-3823'	
6/28/97 RIH w/2-3/8" tbg. Tbg. @ 3749'.	SN @ 3719'. TAC @ 3205'. ND BOP's. R	IH w/2" x 1-1/2" x 12' RWBC pu	mp and rods.	1076	
7/01/97 Tied into flowline. Left well pumping to Sat. # 1 Battery "A".		ACCEPTED FOR F	RECORD / 🤅 💮 🐴		
		\$47 2 8 20	0 000		
18. I hereby certify that the foregoing is true	and correct.	PETROLEUM ENGINEER			
SIGNED Mary Op Twany	TTTLE Production Tech				
(This man for Fodo-1 Chat - Co-1					
(This space for Federal or State office use)					