Form 9-331	Form Approved. Budget Bureau No. 42-R1424
UNITED STATES IN OIL COM	
DEPARTMENT OF THE INTERIOR Drawer DD	LC - 029342A
GEOLOGICAL SURVEY Artesia, A	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
RECEIVED	RECEIVED BY
SUNDRY NOTICES AND REPORTS ON WELLER	7. UNIT AGREEMENT NAME
the man this form for proposals to drill or to deben or plus back total different	8. FARM OR LEASE NAME AUG 23 1983
reservoir. Use Form 9-331-C for such proposals.)	Federal X O C D
1. oil 📻 gas 🖂 ROSWELL DISTRICT	O WELL NO
2. NAME OF OPERATOR	ARTESIA, OFFICE
Anadarko Production Company	10. FIELD OR WILDCAT NAME
3 ADDRESS OF OPERATOR	Grayburg-Jackson-Queen-San Andres
P. O. Drawer 130, Artesia, New Mexico 88210	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	21 - 17S - 30E
below.) AT SURFACE: 990' FSL & 330' FWL	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Same	Eddy New Mexico
AT TOTAL DEPTH: Same	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	3633' GL
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) XX - Remedy Waterflow	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is measured and true vertical depths for all markers and zones pertine	The Chongia dillied, Kitc apparitude in the second
Rig up pulling unit. 2. Set retrievable bridge plug @ 2400'. 3. Perforate 5½' casing @ 1422' KB (cement top @ 4. Establish circulation outside 5½' casing from caliper & calculate cement volume. 5. Circulate Class H cement from 1422' to surface on pump. 6. If cement does not circulate, run a temperation; if cement top is within the Salt section.	ce; drill out cement & put well
with 300 sx.	·
Note: Above work will begin on 7-11-83.	<i>;</i>
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct SIGNED	DATE July 12, 1983
APPROVED BOTIS. Sgd.) PETER W. CHESTER TITLE CONDITIONS OF APPROVAL, IF ANY:	office use) DATE

AUG 23 1983