

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-7752

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Price

9. WELL NO.

#1

10. FIELD AND POOL, OR WILDCAT

Grayburg-Jackson

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 7, T 17S, R 30E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

General American Oil Company of Texas

3. ADDRESS OF OPERATOR

P. O. Box 416, Loco Hills, New Mexico 88255

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

1980' FSL and 1980' FEL, Sec. 7, T 17S, R 30E.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3667 GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Well spudded at 12:30 p.m. 5-8-72.

2. Ran 499' KB of 8-5/8" 20# casing and cemented with 100 sacks cement.

a. Volume of cement equalled 132 cubic feet (100 sacks).

b. Brand of cement was Southwestern Class C with 2% CaCl.

c. Approximate temperature of cement slurry was 65°F.

d. Formation temperature was 65°F.

e. After standing cemented for 9 hours compressive strength was 800#. Pressure tested at 400#. Tested OK.

f. Drilled out cement after standing 12 hours.

3. Set 40 sacks cement plug at 3310' back to 3200'. Ran 2800' of 5-1/2" 14# and 15.5# casing with DV tool at 2509' and cement baskets at 2260', 2346', 2412' and 2436' and cemented with 120 sacks class H cement. Then cemented thru DV tool with 150 sacks class C cement, pumping cement down with water and up back side of 5-1/2" to 2440', closed bradenhead in and maintained 100# on back side of casing.

4. Pumped 40 sacks class C cement thru DV tool at 2509', closed DV tool and waited for cement to set.

5. Rigged up reverse unit and drilled out DV tool. Water shut off successful.

6. We perforated as follows: 2582'-2590', 2638'-2643', and 2682'-2686'.

7. Fraced from 2638' to 2686' with 35,000# sand and 35,000 gallons gelled water.

Fraced from 2582' to 2590' with 25,000# sand and 25,000 gallons gelled water.

18. I hereby certify that the foregoing is true and correct

SIGNED

W E Hatter

TITLE District Superintendent

DATE 8-23-72

(This space for Federal or State office use)

TITLE

DATE

APPROVED

SEP 12 1972

R. L. BEEKMAN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.