

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLIC

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☐	GAS WELL ☐	DRY ☐	Other T. A.		
b. TYPE OF COMPLETION:		NEW WELL ☐	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	Other RECEIVE
2. NAME OF OPERATOR General American Oil Company of Texas						APR 2 1973	
3. ADDRESS OF OPERATOR P. O. Box 416 Loco Hills, New Mexico 88255							
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 660' FSL and 1980' FWL Sec. 30 - 17S - 30E At top prod. interval reported below At total depth							
14. PERMIT NO.				DATE ISSUED			
15. DATE SPUNDED 3-12-73		16. DATE T.D. REACHED 3-20-73		17. DATE COMPL. (Ready to prod.)			
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3587' GL		19. ELEV. CASINGHEAD 3585'					
20. TOTAL DEPTH, MD & TVD 3405'		21. PLUG, BACK T.D., MD & TVD		22. IF MULTIPLE COMPL., HOW MANY*			
23. INTERVALS DRILLED BY 0 - 3405'		ROTARY TOOLS		CABLE TOOLS			
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*							
25. WAS DIRECTIONAL SURVEY MADE NO							
26. TYPE ELECTRIC AND OTHER LOGS RUN SWN, GR and Caliper							
27. WAS WELL CORED NO							
28. CASING RECORD (Report all strings set in well)							
CASING SIZE 8 5/8"	WEIGHT, LB./FT. 20	DEPTH SET (MD) 527' KB	HOLE SIZE 12 1/4"	CEMENTING RECORD 100 sacks	AMOUNT PULLED NONE		
29. LINER RECORD							
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)			
30. TUBING RECORD							
SIZE	DEPTH SET (MD)	PACKER SET (MD)					
31. PERFORATION RECORD (Interval, size and number)			32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.				
DEPTH INTERVAL (MD)			AMOUNT AND KIND OF MATERIAL USED				
33.* PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)			WELL STATUS (Producing or shut-in)		
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.		
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.		
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)							
35. LIST OF ATTACHMENTS Logs and Deviation							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED J. E. Heltzer		TITLE Dist. Supt.		DATE 3-29-73			

*(See Instructions and Spaces for Additional Data on Reverse Side)

RECEIVED
MAR 30 1973
U. S. GEOLOGICAL SURVEY
ALBUQUERQUE, NEW MEXICO

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38.	GEOLOGIC MARKERS	
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		
				NAME	TOP MEAS. DEPTH TRUE VERT. DEPTH
				Queen	2194' +1403
				San Andres	3053' + 544
				Lovington	3167' + 433

BURCH "C" 31
Deviation Survey

<u>DEPTH</u>	<u>DEGREES</u>
527'	1/2°
1480'	1 1/4°
1937'	1°
2457'	1°
2955'	1°
3405'	3/4°

This is a true and correct report to the best of my knowledge.

W. E. Stalter

Signed before me this 29 day of March, 1973.

Frank P. Allen

RECEIVED
MAR 30 1973
U. S. GEOLOGICAL SURVEY
ALBUQUERQUE, NEW MEXICO