

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-015-21366
5. Indicate Type of Lease FEDERAL ☐ STATE ☐ FEE ☐
6. State Oil & Gas Lease No. LC-028793A
7. Lease Name or Unit Agreement Name BURCH KEELY UNIT
8. Well No. 98
9. Pool name or Wildcat GRBG JACKSON SR Q GRBG SA

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL ☐ GAS WELL ☐ OTHER ☒ WIW
2. Name of Operator MARBOB ENERGY CORPORATION
3. Address of Operator P. O. BOX 227, ARTESIA, NM 88210
4. Well Location Unit Letter <u>I</u> : <u>1650</u> Feet From The <u>S</u> Line and <u>760</u> Feet From The <u>E</u> Line Section <u>19</u> Township <u>17S</u> Range <u>30E</u> NMPM <u>EDDY</u> County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☒
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4/22/98 MIRU, SET 4 1/2" CIBP @ 3142', TST TO 2000#--OK, SET 4 1/2" SV EZY DRL CMT RETAINER @ 2825', PMP 250 SX CLASS C CMT W/2% CACL, SQZ TO 2500#, LOCKED UP, SET 4 1/2" SV EZY DRL CMT RETAINER @ 2517', PMP 500 SX CLASS C W/2% CACL, STAGED CMT TO 2500', HOLE IN 4 1/2" CSG, TOP 60' BOTTOM 150', PMP 50 SX CLASS C W/2% CACL DOWN 4 1/2" CSG, CIRC CMT OUT OF SURF VALVE, SHUT VALVE & SQZ CMT, DRL OUT TO TD 3328', RUN 102 JTS. 2 3/8" SALTA PC TBG WITH 4 1/2" HALLIBURTON PC R-4 PKR @ 3202', CHART TEST TO 300# FOR 30 MIN. PUT ON INJECTION. CHART ATTACHED.

BETTY ROLLINS W/OCD-ARTESIA GAVE VERBAL PERMISSION TO DOYLE DAVIS W/MARBOB TO PROCEED W/CHART TEST ON 5/5/98.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Phonda Nelson TITLE Production Clerk DATE 5/7/98
TYPE OR PRINT NAME TELEPHONE NO. 748-3303

(This space for State Use)

ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

APPROVED BY _____ TITLE _____ DATE MAY 11 1998


CONDITIONS OF APPROVAL, IF ANY:



1000

RECEIVED
JUN 12 2000
BLM
ROSWELL, NM

10 11 12



TEJAS
INSTRUMENT ENGINEERS
Devi Sankar
5-5-98

METER NUMBER
TIME PUT ON
DATE PUT ON

TIME TAKEN OFF
DATE TAKEN OFF

BR-2221
B 0-1000-8

BKU #98

PRINTED IN U.S.A.