

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

tion and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in Item 22, and in Item 24 state the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in Item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for Items 22 and 24 above.)

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; COILED INTERVALS, AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Lovington Sd	2684'	2692'		Queen	1890'	+1724'
Grayburg	2891'	3048'		San Andres	2574'	+1040'
San Andres	3175'	3185'		Lovington Sand	2678'	+ 936'
Fraced	3175'	3185'	With 30,000# sand and 30,000 gallons water.			
Fraced	3044'	3024'	With 20,000# sand and 20,000 gallons water.			
Acidized	2930'	2934'	With 3,500 gallons acid.			
Acidized	2891'	2895'	With 3,500 gallons acid.			
Fraced	2684'	2692'	With 20,000# sand and 20,000 gallons water.			
Fraced	2468'	2479'	With 30,000# sand and 30,000 gallons water.			

RECEIVED
DEC 11 1964
U.S. GEOLOGICAL SURVEY
ARTESIA, N.M.

