

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Complete or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any other items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequate for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing should be listed on this form, see item 33.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)


37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH
Loce Hills	2300'	2319'	Sand	Queen	1844'
Metax	2414'	2454'	Sand Stringers	San Andres	2537'
Lovington	2630'	2671'	Sand	Lovington	2630'
San Andres	2537'	---	Dolomite (Zones of Porosity)		

38.

GEOLOGIC MARKERS



December 10, 1975

General American Oil Co. of Texas
Box 416
Loco Hills, N. M. 88201

Re: Burch "C" #37

Gentlemen:

The following is a Deviation Survey of the above well:

413' - $\frac{1}{4}$
808' - $\frac{1}{2}$
1305' - $\frac{3}{4}$
1697' - $\frac{3}{4}$
2189' - 1
2680' - 1
3180' - 1
3575' - $\frac{3}{4}$

Yours very truly,

WEK DRILLING CO., INC.

Kenneth D. Reynolds

STATE OF NEW MEXICO)
COUNTY OF CHAVES)

The foregoing was acknowledged before me this 10th
day of Dec., 1975 by Kenneth D. Reynolds.

Notary Public

My Commission Expires:

5-16-79**RECEIVED**

DEC 29 1975

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO