

construction of the drilling pads and new roads for both this well (Petco no. 5) and Petco well no. 6 (which is covered by a separate Form 9-331C being submitted concurrently with this application for well no. 5). The size of this pit, which has been staked, would be approximately 150 feet by 160 feet and it would be located south and east of Petco well no. 2, as shown in exhibit B.

7. METHODS OF HANDLING WASTE DISPOSAL.

- A. All cuttings will be disposed of in the drilling pits.
- B. Drilling fluids will be allowed to evaporate in the reserve pit until the pit is dry.
- C. Water produced during tests will be disposed of in the drilling pits. Oil produced during tests will be stored in test tanks until sold.
- D. Current laws and regulations pertaining to the disposal of human waste will be complied with.
- E. Trash, waste paper, garbage and junk will be buried in a separate trash pit and covered with a minimum of 24 inches of dirt. All waste material will be contained to prevent scattering by the wind.
- F. All trash and debris will be buried or removed from the wellsite within 30 days after finishing drilling and/or completion operations.

8. ANCILLARY FACILITIES.

- A. None required.

9. WELLSITE LAYOUT.

- A. Exhibit D shows the relative location and dimensions of the well pad, mud pits, and reserve pit, and the location of major rig components.
- B. Only minor leveling of the wellsite will be required, and no major cuts or fills will be required.
- C. There are no plans to line the earthen reserve pit, since it should seal quite rapidly with drill solids and bentonite. Water used for drilling is of discharge quality.
- D. The pad and pit area, as well as the proposed caliche pit adjacent to the reserve pit (see exhibit D), have been staked and flagged.

10. PLANS FOR RESTORATION OF THE SURFACE.

- A. After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be