
# N. M. O. C. C. COPEUBMIT IN TOTAL As on reverse side)

Form approved.
Budget Bureau No. 42-R1425.

## UNITED STATES

(May 1963)	HINIT	ED STATES	(Other instruc reverse sie	a∆son de)	30 000 77091
	DEPARTMENT		TERIOR	ı	30-015-22-091 5. LEASE DESIGNATION AND SERIAL NO.
		SICAL SURVEY		Ì	LC-028793-a
APPLICATION	I FOR PERMIT T	O DRILL, DE	EPEN, OR PLUG B	ACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	LL XX	DEEPEN 🗆	PLUG BAC	CK 🗆	7. UNIT AGREEMENT NAME
b. TYPE OF WELL OIL XX GAN WELL XX	S OTHER		SINGLE MULTIPE	TE XX	S. FARM OR LEASE NAME
. NAME OF OPERATOR					Burch "A"
General Americ	an Oil Company	of Texas			9. WELL NO.
. ADDRESS OF OPERATOR	D 0 D 116	Loop Hi	lls Now Movico	22255	10. FIELD AND POOL, OR WILDCAT
The state of the s	P. U. BOX 410	LOCO II	lls, New Mexico	FD	Grayburg-Jackson
At surface At surface	2615' FEL Sec	tion 19. T-	17S R-30E	<b></b>	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
At proposed prod. zone	Fd	dy County, N	lew Mexico 💂 🚙	7	
-			APR 7 197	<u> </u>	Sec. 19, T-17S, R-30E 12. COUNTY OR PARISH   13. STATE
	AND DIRECTION FROM NEAR				Eddy New Mexico
	1/2 Miles West	Of LOCO HILL	S O.C.C.	CE7. NO. (	OF ACRES ASSIGNED
5. DISTANCE FROM PROPO LOCATION TO NEAREST PROPERTY OR LEASE L.	INE, FT.	2615'	640	тот	40
(Also to nearest drlg	c. unit line, if any)	J	9. PROPOSED DEPTH	20. ROTA	RY OR CABLE TOOLS
TO NEAREST WELL, DE OR APPLIED FOR, ON THI	RILLING, COMPLETED,	650'	3600'	R	otary
21. ELEVATIONS (Show whe	ther DF, RT, GR, etc.)	3633' GR			22. APPROX. DATE WORK WILL START* March 15, 1977
23.	P	ROPOSED CASING	AND CEMENTING PROGRA	AM	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	r SETTING DEPTH	T	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	450'	]	00 sacks
7-7/8"	5-1/2"	14#	3600'	3	50 sacks
		<u> </u>			
We propose to	drill this wel	to 3600' a	and complete in th	ne Gray	burg and San Andres.
All zones indi	icating poros	sity will be	acidized or sand	fraced	l.
Mud Drogram	Water and nati	ve mud will	he used. and appr	roximat	ely 100' Accom T.D.
Mud Program.	water and nati	+0 =0+ +b0	bolo in chang to	loa	ductive zone and proposed new productive ed and true vertical depths. Give blowout
	we will mud up	to get the	illie ili shape co	iog.	
Δ 10" 3000# b	lowout prevente	r will be us	ed in the drilling	g of th	nis (811. 8)
12/2			•		ARTEGO STON
154 876 ·		,			SIA NGICA.
75-77					IN NO SUD.
<i>L</i>					MEXICALY.
IN ABOVE SPACE DESCRIBI	E PROPOSED PROGRAM: If	proposal is to deeper	n or plug back, give data on p	present pro ind measur	ductive zone and proposed hew productive ed and true vertical depths. Give blowout
zone. If proposal is to preventer program, if an	iy.	any, give pertinent			
24.			- ·		Folymany 0 107
SIGNED SENCE	el Wawkins	TITL	Engineer		February 9, 197
	- mateur	•	ADDROUAL DATE		
PERMIT NO.	. 1 400		APPROVAL INTERIOR		
APPROVED BY		REPE	NOW 3 MON		DATE
CONDITIONS OF APPRO	YUL ANY:	(PPROVAL DEED V	APPROVAL ANOTHS.		
11/2/10	harris	OT CLI	V		
A / Com	EXPIR	• -			
ADTINE COT	·	*See Instruc	tions On Reverse Side		
, ···					



#### XICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section Well No. Lease Burch A **♣-**33 GENERAL AMERICAN OIL COMPANY OF TEXAS County Township Unit Letter Eddy 30 East 17 South "B" 19 Actual Footage Location of Well: 2615 line North line and feet from the Grayburg-Jackson Producing Formation Grayburg & San Andres Ground Level Elev. 40 Acres 3633 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION 26/5 I hereby certify that the information coned herein is true and complete to the Lendell Hawkins Position Engineer General American Oil Co. of Texas February 9, 1977 by certify that the well location this plat was plotted from field Date Surveyed February 9, 1977 1000

1980. 2810

190

1220-1650

2000

#### DRILLING PROGNOSIS

- I. OBJECTIVE: Drill 4 infill wells in the Grayburg Jackson Field, Eddy County, New Mexico. These wells will continue the infill pattern on 20 acre spacing as already established. These wells will be approximately 3200'-3600' deep.
- II. LOCATION: These wells will be located in Sections 23, Township 17 South,
  Range 29 East and Section 19 and 30 of Township 17 South, Range 30
  East, Eddy County, New Mexico.

#### III. PROJECTED TOTAL DEPTH, HOLE SIZE, SLOPE TEST:

- A. 12-1/4" hole to the top of the salt to accomodate 8-5/8" surface casing. (Approximately 350'-500').
- B. 7-7/8" hole to approximately 3200'-3600' to accommodate 5-1/2" production casing.
- C. Estimated drilling time 6-7 days per well.
- D. Slope test will be run on each bit trip or 500' intervals.
- E. If any coring or drill stem testing is done pipe will be strapped out of hole prior to coring or testing.

#### IV. DRILLING CONTRACTOR:

- A. Contractor: W.E.K. Drilling Company, Inc. (Probable)
- B. Type Contract: Footage
- C. Contract Depth: 3200'-3600'
- V. MUD PROGRAM: Probably will be furnished by Mudco or IMC.

Interval	Type Mud Fresh & Salt Water Salt Mud	Weight	Viscosity	Water Less
0'-3400'		9-10	28 - 30	NC
3400'-3600'		10-11	36 - 38	NC
(Will mud up	200' from T.D.)			

### VI: TYPICAL GEOLOGICAL TOPS FOR WELL IN SECTION 24-17S-29E: (Middle of Unit Area)

Tops Queen Loco Hills Main Metex San Andres Lovington Jackson Pays Lower San Andres Pay Keely Pay	Vertical Depth  1880' 2340' 2450' 2585' 2690' 2870' 3150' 3330'	Subsea +1715' +1255' +1145' +1010' + 905' + 725' + 445' + 265'
Keely Pay Sub-Keely Pay	3450'	+ 145'

#### VII: SAMPLES:

A. 10' Samples from 2200' to T.D. or as directed by Company Representative.

#### VIII: CORES AND DRILL STEM TESTS:

A. At the present time no cores or drill stem tests are planned.

#### IX: LOGS:

A. Proposed logging program will be a Sidewall Neutron, Gamma Ray, Caliper from 0'-T.D.

#### X: CASING AND TUBING PROGRAM:

- A. Surface: 8-5/8" 20-23# range 2 casing to be set approximately (350'-500') and cemented with 100 sacks Class "C" cement with 2% CaCl.
- B. Production: 5-1/2" K-55 15.5# ST&C casing will be run.

Cementing of production casing will be with Class "H" cement with 1/4# flocel, 3/4 of 1% CFR-2, 5# salt, 10# sand per sack.

#### XI: SAFETY PROGRAM:

Blowout preventers will be used as well as close observation by company personnel to assure the well is safely drilled.

#### XII: THIRD PARTY SERVICES:

Surveying:

Jones & Company and John West Engineering

Dirtwork:

Jabo Rowland and Sweatt Construction

Cementing:

Halliburton and B.J.

Logging:

Dresser Atlas Mudco and IMC

Drilling Mud: Water Trucking:

I & W and Caprock

SURFACE USE PLAN

GENERAL AMERICAN OIL COMPANY OF TEXAS, WELL: BURCH "A" #33 F. F. LEASE: LC-028793-a EDDY COUNTY, NEW MEXICO

ubject well is located approximately 24 miles East of Artesia, well: Burch "A" #33 F. F. LEASE: LC-028793-a EDDY COUNTY, NEW MEXICO

ubject well is located approximately 24 miles East of Artesia, well: Burch "A" #33 F. F. LEASE: LC-028793-a EDDY COUNTY, NEW MEXICO

ubject well is located approximately 24 miles East of Artesia, well: Burch "A" #33 F. LEASE: LC-028793-a EDDY COUNTY, NEW MEXICO

ubject well is located approximately 24 miles East of Artesia, well: Burch "A" #33 F. LEASE: LC-028793-a EDDY COUNTY, NEW MEXICO

ubject well is located approximately 24 miles East of Artesia, well: Burch "A" #33 F. LEASE: LC-028793-a EDDY COUNTY, NEW MEXICO

ubject well is located approximately 24 miles East of Artesia, well: Burch "A" #33 F. LEASE: LC-028793-a EDDY COUNTY, NEW MEXICO

The subject well is located approximately 24 miles East of Artesia, New Mexico on the north side of Highway U.S. 82. The following is a discussion of pertinent information concerning possible effect, which the proposed drilling of the well may have on the environment of the well and road sites and surrounding acreage. A copy will be posted on the derrick floor so that all contractors and sub-contractors will be aware of all items of this plan.

- 1. AERIAL ROAD MAP Exhibit "A" is a portion of the Artesia Quadrangle Map #106 and Maljamar Quadrangle Map #107 showing well site in relation to U. S. Highway 82. Access road, which is shown on Exhibit "B" exits the highway about 24 miles East of Artesia, New Mexico.
- 2. LOCATION OF EXISTING WELLS The location of existing wells in the immediate area of the proposed well is shown on Exhibit "B".
- 3. PROPOSED WELL MAT AND IMMEDIATE AREA Refer to Exhibit "C" for direction orientation and road access.
  - a. MAT SIZE 140' x 180'.
  - b. SURFACED Will be topped with 6" of caliche, bladed, watered, and compacted.

    Caliche to be purchased from B.L.M. by dirt contractor.
  - c. RESERVE PIT 60' x 70' pit unlined, joining mat to North.
  - d. CUT & FILL Location is basically flat except for small sand dunes. No fill will be needed except existing sand dunes leveled and topped with caliche.
  - e. DRILL SITE LAYOUT Exhibit "C" shows the location and layout including position of the Rig, Mud Tanks, Reserve Pits, Pipe Racks, etc. The Rig will be errected with the V-Door to the East.

#### f. SETTING AND ENVIRONMENT

- (1) Terrain Low rolling sand hills.
- (2) Soil Sandy Soil.
- (3) <u>Vegetation</u> Sparse vegetation, being mostly mesquite, shennery, weeds, and other semi-desert plants with some grass.
- (4) <u>Surface Use</u> Grazing.
- (5) Other Drillsite which is in sandy semi-arid desert country, is in a low environmental risk area. The total effect of drilling and producing this and other wells in this area would be very minimal.

#### g. DISTANCES TO:

- (1) Ponds and Streams There are no surface waters within 3/4 mile.
- (2) Water Wells There are no water wells within 1/2 mile.
- (3) Residences and Building There are no residences or buildings within 1/2 mile.
- (4) Arroyos, Canyons, Hills, etc. Outside of small sand dunes there are no surface features.
- h. WELL SIGN Sign identifying and locating proposed well will be maintained at the drill site commencing with the spudding of the well.
- i OPEN PITS All nits containing mud or other liquids will be guarded.

#### 4. ROADS

- a. EXISTING ROADS All existing roads within the immediate area of well site are shown on Exhibit "B".
- b. PLANNED ROADS Planned access road will require less than 650 feet of new road that is 12 feet wide. The road will be surfaced with caliche. The proposed road is colored blue and a suggested route to the location is colored red on Exhibit "B". Little improvement will be required on existing access road.
- c. <u>FENCES</u>, <u>GATES AND CATTLE GUARDS</u> Will be maintained as General American already operates several hundred wells in the immediate area.
- 5. TANK BATTERY If production is encountered no additional battery will be required as sufficient facilities are already on the lease.

#### 6. LEASE - PIPELINES

- a. EXISTING All existing pipelines are shown on Exhibit "B".
- b. <u>PLANNED</u> If production is encountered, flowline will consist of about 650' of 2" steel line on top of ground shown in orange on Exhibit "B".
- 7. WASTE DISPOSAL Barrel trash containers will be in accessible locations within the drill site area during drilling and completion operations. A waste disposal pit will be deep enough to handle waste and will be covered with a minimum of 2 feet of top soil. See Exhibit "C" for pit location. If well is productive, maintenance waste will be placed in special trash cans and hauled away periodically. Any produced water will be disposed of through the currently existing S.W.D. system.
- 8. WATER SUPPLY Water supply to drill this well will be furnished through a steel line already laid through the drilling area.

Location of the water line is shown on Exhibit "B".

- 9. ARCHAEOLOGICAL RESOURCES None were observed.
- 10. RESTORATION OF SURFACE If well is productive, pits will be backfilled and leveled as soon as practical. Upon final abandonment of well, well site will be leveled and cleaned, with land returned as near as possible to original condition.
- 11. OPERATOR'S REPRESENTATIVES Field personnel who can be contacted concerning compliance of this surface use plan are as follows:

#### DRILLING AND PRODUCTION

Lendell Hawkins
P. O. Box 416
Loco Hills, New Mexico 88255
Office Phone: 505 677-2481
Home Phone: 505 677-2277

Fred Starkey
P. O. Box 416
Loco Hills, New Mexico 88255
Office Phone: 505 677-2481
Home Phone: 505 746-9397

#### 12. CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions as they actually exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the proposed work performed by General American Oil Company and its Contractors and Sub-Contractors will conform to this plan.

0R

2-9-77 DATE Lendolo Naurbino
Lendell Hawkins, District Engineer






Exhibit "A"

Scale 1"= 2 miles

**A** *N* 



U.S. HI-WAY 82
— SUGGESTED ROUTE TO LOCATION IS APPX. 24 MILES EAST OF ARTESIA, NEW MEXICO ON HI-WAY 82 UNTIL YOU REACH GENERAL AMERICAN OIL COMPANY CAMP ON SOUTH SIDE OF HI-WAY. TURN NORTH AND GO APPX. .7 MILE NORTH. LOCATION WILL BE ON EAST SIDE OF ROAD.



ROAD TO LOCATION 12' WIDE

Exhibit "C" 1"= 25 ft.