Form 3160-5 (June 1990)

UNI > STATES DEPARTMEN. OF THE INTERIOR

N.M. Oil ('s. Division


811 S. 1st Street Artesia, NM 88210-2834 FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993 **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES	5. Lease Designation and Serial No.		
Do not use this form for proposals to drill or	LC-029426-B		
Use "APPLICATION FOR	6. If Indian, Allottee or Tribe Name		
SUBMIT	N/A		
1. Type of Well	7. If Unit or CA, Agreement Designation		
☐ Oil Gas Other Well Other	N/A		
2. Name of Operator	8. Well Name and No.		
DEVON ENERGY OPERATING CORPORA	H. E. West "B" #1		
3. Address and Telephone No.	9. API Well No.		
20 NORTH BROADWAY, SUITE 1500, OKLAHON	30-015-22662		
4. Location of Well (Footage. Sec., T., R., M., or Survey Des	10. Field and Pool, or Exploratory Area		
660' FNL & 1980' FEL, Sec. 10-17S-31E	Grayburg Jackson		
	11. County or Parish, State		
		Eddy County, NM	
OUTOK ADDDODDIATE DOV(-)	TO INDICATE NATURE OF NOTICE RE	TROOT OR OTHER DATA	
	TO INDICATE NATURE OF NOTICE, RE		
TYPE OF SUBMISSION	N		
Notice of Intent	Abandonment	Change of Plans	
	Recompletion	New Construction	
Subsequent Report	Plugging Back Casing Repair	☐ Non-Routine Fracturing ☐ Water Shut-Off	
Final Abandonment Notice	Altering Casing	Conversion to Injection	
	Other	Dispose Water	
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
13. Describe Proposed or Completed Operations (Clearly state all per- locations and measured and true vertical depths for all markers	tinent details, and give pertinent dates, including estimated date of starting ar and zones pertinent to this work.)*	ny proposed work. If well is directionally drilled, give subsurface	
	,	,	
		· · · · · · · · · · · · · · · · · · ·	
DEOC plans to plug and abando	n this well as follows:		
DLOC plans to plug and abando	it this wen as follows.		
1. Set a CIBP @ 3265' w/35' o	f cmt on ton		
<u> </u>	tainer @ 1420' w/100' of cmt on ouside and	d inside of 4 1/2" as a below retainer	
and 35' of cmt on top of retai	•	d miside of 1 1/2 esg below retainer,	
•	tainer @ 760' w/100' of cmt on the outside	and inside of the 4 1/2" csg below	
the retainer, and w/35' cmt or	_	and miside of the 4 1/2 esg below	
•	•		
4. Set a cement plug in the 4 1/2	_		
5. Weld a marker on top of 4 1/	2" csg.	OFF 47774 01175 755	
	,	SEE ATTACHED FOR	
	<u>(</u>	CONDITIONS OF APPROVAL	
14. I hereby certify that the foregoing is true and correct	KAREN BYERS		
Signed Karen Bullo	Title ENGINEERING TECHNICIAN	Date 09/13/96	
(This space for Federal or State office use			
Approved by (ORIG. SGD.) ALEXIS C. SWOE	BODA PETROLEUM ENGINE	EER Date 9/25/96	
Conditions of approval, if any:		Date 11 00 11	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


DEVON ENERGY OPERATING CORPORATION WELLBORE SCHEMATIC

WELL NAME: H.E. WEST "B" #1		FIELD: GRAYBURG-JACKSON				
LOCATION: 660'FNL & 1980'FEL, SEC 10-T17S-R31E		COUNTY: EDDY			STATE: NM	
ELEVATION: GL=3940'; KB=3957'		SPUD DATE: 08/26/78		COMP DATE: 11/01/78		
PREPARED	BY: C.H. CARLE	LETON DATE: 06/0			5/96	
DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE	
0' - 810'	8 5/8"	24#	J-55		12 1/4"	
0' - 5515'	4 1/2"	10.5#	J-55		7 7/8"	
			_			
0' - 3350'	2 3/8"	4.7#	J-55	EUE 8rd		
	\$ 1980'FEL, SEC 10-T 0'; KB=3957' PREPARED DEPTH 0' - 810' 0' - 5515'	8 1980'FEL, SEC 10-T17S-R31E D'; KB=3957' PREPARED BY: C.H. CARLE DEPTH SIZE 0' - 810' 8 5/8" 0' - 5515' 4 1/2"	1980'FEL, SEC 10-T17S-R31E COUNTY: EDD	1980'FEL, SEC 10-T17S-R31E	COUNTY: EDDY COUNTY: EDDY SPUD DATE: 08/26/78 COMP DATE: 08/26/78 COMP DATE: 08/26/78 COMP DATE: 08/26/78 DATE: 06/05/5 DEPTH SIZE WEIGHT GRADE THREAD O' - 810' 8 5/8" 24# J-55 O' - 5515' 4 1/2" 10.5# J-55 COUNTY: EDDY COUNTY: EDDY	



DEVON ENERGY OPERATING CORPORATION WELLBORE SCHEMATIC

WELL NAME: H.E. WEST "B" #1		FIELD: GRAYBURG-JACKSON				
LOCATION: 660'FNL & 1980'FEL, SEC 10-T17S-R31E		COUNTY: EDDY			STATE: NM	
ELEVATION: GL=3940'; KB=3957'		SPUD DATE: 08/26/78		COMP DATE: 11/01/78		
API#: 30-015-22662	PREPARE	D BY: C.H. CARLE	TON		DATE: 06/05/96	
in the state	DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE
CASING:	0' - 810'	8 5/8"	24#	J-55		12 1/4"
CASING:	0' - 5515'	4 1/2"	10.5#	J-55		7 7/8"
CASING:						
TUBING:	0' - 3350'	2 3/8"	4.7#	J-55	EUE 8rd	
TUBING:				1		



CURRENT

PROPOSED

OPERATOR: DEVON ENERGY OPERATING CORPORATION

8 5/8" CASING, SET W/400 SXS. TOC @ SURFACE.

P&A:

- 1) CIBP @ 3265' w/35' cmt on top
- 2) CMT RET @ 1420' W/100' CMT OUTSIDE & INSIDE 4 1/2"CASING BELOW CMT RET AND 35' CMT ON TOP OF CMT RETAINER
- 3) CMT RET @ 760' W/100' CMT OUTSIDE & INSIDE 4 1/2" CSG BELOW CMT RET AND 35' CMT ON TOP OF CMT RETAINER
- 4) 0 50' SURFACE CMT PLUG IN 4 1/2" CASING

PERFORATIONS: 3322'- 3989' (OA)

CIBP @ 4300'

4 1/2" CASING SET W/850 SXS. TOC @ 1800' TD @ 5515'