

UNITED STATES <sup>N.M.O.C.D. COPY</sup> DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form approved  
Budget Bureau No. 42 R1424

5. LEASE DESIGNATION AND SERIAL NO.

LC-028793-c

6. IF INDIAN, ALLIOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Burch "C"

9. WELL NO.

42

10. FIELD AND POOL, OR WILDCAT

Grayburg-Jackson

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 30, T-17S, R-30E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR  
General American Oil Company of Texas ✓

3. ADDRESS OF OPERATOR  
P. O. Box 128 Loco Hills, New Mexico 88255

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface  
1295' FNL and 1295' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
3603.4' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

Surface Casing

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

1. Spud well at 3:00 P.M. December 12, 1980.

2. Ran 8-5/8" O.D. 20# casing to 506' KB as follows:

a. Volume of cement was 357 sacks.

b. Brand of cement was Southwestern Class "C" with 2% CaCl.

c. Approximate temperature of cement slurry was 55° F.

d. Formation temperature was 64° F.

e. Cement circulated to surface.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Randall A. Hawkins*

TITLE Field Superintendent

DATE December 15, 1980

(This space for Federal or State office use)

ACCEPTED FOR RECORD

APPROVED BY

PETER W. CHESTER

TITLE

DATE

CONDITIONS OF APPROVAL: DEC 18 1980

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

See instructions on Reverse Side