

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

FEB 25 1980

3a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-5084

SUNDRY NOTICES AND REPORTS ON WELLS  
DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.

OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name Old Loco Unit
Name of Operator Marbob Energy Corporation	8. Farm or Lease Name Old Loco Unit
Address of Operator P.O. Box 304, Artesia, N.M. 88210	9. Well No. 20
Location of Well UNIT LETTER <u>P</u> <u>990</u> FEET FROM THE <u>South</u> LINE AND <u>990</u> FEET FROM THE <u>East</u> LINE, SECTION <u>32</u> TOWNSHIP <u>17S</u> RANGE <u>29E</u> N.M.P.M.	10. Field and Pool, or Wildcat Grbg Jackson SR Queen
11. Elevation (Show whether DF, RT, GR, etc.) 3561.5 GR	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 2862' KB, 2850' GR. Ran 4½" guide shoe, insert float, 10 centralizers, 87 jts. 4½" 10.50# new casing, landed @ 2850' GR, pumped 375 sax Class H cement, 5/10 of 1% CFR 2, 5# salt, 10# sand per sack, plug down @ 1:00 am 2/20/80, RR 4:00 a.m. Temperature survey shows top of cement @ 1220'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Carolyn Davis TITLE Secretary DATE 2/20/80

APPROVED BY W.A. Gressett TITLE SUPERVISOR, DISTRICT II DATE FEB 27 1980

CONDITIONS OF APPROVAL, IF ANY: