

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
11 S. 1st St. 99
Artesia, NM 870-2834

FORM APPROVED
Bureau No. 1004-0135
Expires: March 31, 1993

CISF

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Mack Energy Corporation

3. Address and Telephone No.

P.O. Box 960, Artesia, NM 88211-0960

(505)748-1288

4. Location of Well (Footage, Sec., T. R., M. or Survey Description)

2400 FSL & 1600 FEL, SEC 20-T17S-R30E

5. Lease Designation and Serial No.

LC-057634

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

McIntyre A Federal #9

9. API Well No.

30-015-23407

10. Field and Pool, or Exploratory Area

Loco Hills Paddock

11. County or Parish, State

Eddy, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☒ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other


- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)*

Mack Energy Corporation proposes to abandon the Grayburg San Andres by squeezing off perfs from 2901-3833 w/100sx cement and recomplete the well in the Loco Hills Paddock as follows:

Rig up, pull rods and tbg out of hole. Run in hole w/SV Retainer and squeeze old perfs from 2901-3833 w/100 sx Class C cement. Drill out cement and pressure test casing to 500#. Perf casing from 4400-4700 w/70 shots. Acidize perfs and put well back on production in the Loco Hills Paddock.



14. I hereby certify that the foregoing is true and correct

Signed Matt Brewer

Title Geological Engineer

Date 7/27/98

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any: _____

Title _____ Date _____