

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPlicate
Other Instructions
See BackForm approved
Budget Bureau No. 42 R1424

5. LEASE DESIGNATION AND SERIAL NO.

LC-028784-c

6. IF INDIAN, ALLOTTEE OR TRUST NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. NAME OF OPERATOR General American Oil Company of Texas ✓	7. UNIT AGREEMENT NAME
3. ADDRESS OF OPERATOR P. O. Box 128 Loco Hills, New Mexico 88255	8. FARM OR LEASE NAME Keely "C"	9. WELL NO. 55
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 330' FSL and 990' FEL	10. FIELD AND POOL, OR WILDCAT Grayburg-Jackson	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 12, T-17S, R-29E
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3667.6' KB	12. COUNTY OR PARISH Eddy
		13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

Surface Casing

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. The well was spud @ 4:15 P.M., October 19, 1981.

2. 8-5/8" 36# N-80 was run to 486' on October 20, 1981 as follows:

- Volume of cement: 490 sacks Class "C" cement with 2% calcium chloride.
- Brand of cement: Southwestern Portland.
- Slurry temperature: 65° F. (approximately).
- Formation temperature: 68° F. (approximately).
- Full circulation during cementing operations.
- 35 sacks cement returned to surface.
- Waited on cement for 18 hours.
- Tested B.O.P.E. to 1000# for 30 minutes.

18. I hereby certify that the foregoing is true and correct

SIGNED

ROGER A. CHAPMAN

TITLE

Engineer

DATE

October 21, 1981

(This space for Federal or State office use)

OCT 29 1981

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

TITLE

DATE

*See Instructions on Reverse Side