

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENTRECEIVED BY
OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501
NOV 27 1985WELL COMPLETION OR RECOMPLETION REPORT AND LOG
ARTESIA, OFFICE

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	✓
FILE	✓
U.S.G.S.	✓
LAND OFFICE	✓
OPERATOR	✓

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
E-4200

1a. TYPE OF WELL	b. TYPE OF COMPLETION		7. Unit Agreement Name	
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐	NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐		8. Farm or Lease Name	
2. Name of Operator			Continental State	
Marbob Energy Corporation			9. Well No.	
3. Address of Operator			3	
P.O. Drawer 217, Artesia, N.M. 88210			10. Field and Pool, or Wildcat	
Location of Well			Grbg Jackson SR Q G SA	
UNIT LETTER <u>N</u> LOCATED <u>990</u> FEET FROM THE <u>South</u> LINE AND <u>1650</u> FEET FROM			12. County	
THE <u>West</u> LINE OF SEC. <u>15</u> TWP. <u>17S</u> RGE. <u>29E</u> NMPM			Eddy	
15. Date Spudded	16. Date T.D. Reached	17. Date Compl. (Ready to Prod.)	18. Elevations (DF, RKB, RT, GR, etc.)	19. Elev. Casinghead
7/7/83	11/8/85	11/18/85	3558.4' GR	3558.4' GR
20. Total Depth	21. Plug Back T.D.	22. If Multiple Compl., How Many	23. Intervals Drilled By	Rotary Tools
3455'	3416'		1350-3455'	Cable Tools
24. Producing Interval(s), of this completion - Top, Bottom, Name				25. Was Directional Survey Made
2644-3304' San Andres				Yes
26. Type Electric and Other Logs Run				27. Was Well Cored
Dual spaced neutron				No

28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	219'	11"	100 sax	None
5 1/2"	15.50#	3438.37'	7 7/8"	1350 sax	None

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8"	3324'	

31. Perforation Record (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
2644-3304' attached		DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
		2644-3304'	6670 bbl. gel wtr, 50,000#
			20/40; 300,000# 12/20; 100,000#
			8/12 sand; 4000 gal 10% NE acid

33. PRODUCTION							
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
11/18/85		Pumping - 2"				Prod.	
Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
11/19/85	24			39	125	frac wtr	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)	
			39	125	frac wtr		

34. Disposition of Gas (Sold, used for fuel, vented, etc.)	Test Witnessed By
Flared	Robert C. Chase

35. List of Attachments
Deviation survey, logs, perforations

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED Carolyn Purcell TITLE Production Clerk DATE 11/26/85

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 2436'	T. Simpson	T. Gallup	T. Ignacio Qtzite
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinbry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Granite	T. Todillo	T.
T. Drinkard	T. Delaware Sand	T. Entrada	T.
T. Abo	T. Bone Springs	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn.	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn. "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....	No. 4, from.....to.....
No. 2, from.....to.....	No. 5, from.....to.....
No. 3, from.....to.....	No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....
No. 4, from.....to.....feet.....

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	270	270	Caliche, red bed	2010	2025	15	Line
270	730	460	Red bed, salt	2025	2050	25	Anhy
730	1050	320	Red bed, anhy	2050	2068	18	Line
1050	1080	30	Anhy	2068	2210	142	Anhy
1080	1105	25	Sand, anhy	2210	2235	25	Line
1105	1110	5	Shale	2235	2255	20	Anhy
1110	1115	5	Anhy	2255	3455	1200	Line
1115	1185	70	Anhy, red bed	3455			TD
1185	1560	375	Anhy				
1560	1580	20	Sand				
1580	1795	215	Anhy				
1795	1825	30	Sand				
1825	1875	50	Anhy				
1875	1990	115	Anhy, sand				
1990	2010	20	Anhy				

Marbob Energy Corporation
Continental State #3
Perforations

2644	3229
2657	3240
2666	3250
2676	3272
2684	3297
2693	3304
2713	
2718	
2724	
2730	
2751	
2761	
2764	
2786	
2805	
2814	
2832	
2862	
2884	
2899	
2935	
2954	
2959	
2963	
2975	
2984	
3020	
3026	
3033	
3039	
3055	
3093	
3103	
3106	
3124	
3136	
3156	
3170	
3178	
3186	
3196	
3201	
3208	
3213	
3220	




LaRue Drilling Co., Inc. — Oil Well Drilling Contractors

P. O. BOX 202
470

ARTESIA, NEW MEXICO 88210

November 13, 1985

Marbob Energy Corporation
PO Box 304
Artesia, NM 88210



✓ Re: Continental State #3
990' FSL & 1650' FWL
Sec. 15, T17S, R29E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned re-entered well.

DEPTH	DEVIATION
1305'	3°
1561'	3°
1779'	3°
2277'	2 1/2°
2798'	2 1/4°
3455'	2°

Very truly yours,

B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 13th day of November, 1985.

REGINA L. GARNER
NOTARY PUBLIC

