


## OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-79

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	✓
FILE	✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	✓



5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
B-2130

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DEEPER ZONE. USE "APPLICATION FOR PERMIT - 1" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name Burnham Grayburg San Andres Unit
2. Name of Operator Anadarko Production Company ✓	8. Farm or Lease Name Tract 2
3. Address of Operator P. O. Drawer 130, Artesia, New Mexico 88210	9. Well No. 4
4. Location of Well UNIT LETTER J 2630 FEET FROM THE South LINE AND 2630 FEET FROM THE East LINE, SECTION 2 TOWNSHIP 17S RANGE 30E N.M.P.M.	10. Field and Pool, or Wildcat Square Lake-Grayburg-SA
15. Elevation (Show whether DF, RT, GR, etc.) 3756' GL	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

## SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☐REMEDIAL WORK ☐ALTERING CASING ☐TEMPORARILY ABANDON ☐COMMENCE DRILLING OPNS. ☐PLUG AND ABANDONMENT ☐PULL OR ALTER CASING ☐CHANGE PLANS ☐CASING TEST AND CEMENT JOBS ☐OTHER Completion ☒OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Rigged up pulling unit and drilled out DV Tool and cleaned out to float shoe @ 3245'
2. Perforated Lovin ton Zone from 3182' to 3192'; total holes = 11 with .40" diameter.
3. Acidized Lovington Zone with 1000 gals 15% acid and fraced with 10,400 gals X-linked gel, 5,500# 20/40 sand and 7,300# 10/20 sand.
4. Set RBP above Lovington perfs.
5. Perforated Grayburg Zone @ 2930, 32, 34, 36, 47, 63, 90, 3028, 30, 32, 54 & 56; total holes = 12 holes with .38" diameter.
6. Acidized Grayburg Zone with 800 gals 15% acid and fraced with 25,000 gals X-linked gel, 5,500# 20/40 sand and 19,500# 10/20 sand.
7. Washed out sand; retrieved RBP; washed out sand from Lovington Zone frac to 3245'.
8. Ran tubing, rods and bottomhole pump.
9. Installed production equipment and placed well on production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Mike Basswell TITLE Field Foreman DATE June 6, 1984

Original Signed by

Lodie A. Clements

Supervisor District II

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE JUN 07 1984

CONDITIONS OF APPROVAL, IF ANY: