(Other cuctions on revelue side)

Budget Burenu No. 42 R1425.

JAN 2 - 1985

b. TYPE OF WELL

RECEIVED

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

 				•			•
LC.	-0	2	94	1	9 ((A)	

		1									
c	ACPRILICATIO	N	FOR	PERMIT	TO	DRILL,	DEEPEN,	OR	PLUG	BACK	_
ARTI	SPAP OFFICER	1	. 🗀			D = = D = \ \					

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

5. LEASE DESIGNATION AND SERIAL NO.

OIL X WELL 2. NAME OF OPERATOR

DEEPEN [

PLUG BACK

MULTIPLE X

7. UNIT AGREEMENT NAME Skelly Unit

8. FARM OR LEASE NAME

Getty Oil Company 3. ADDRESS OF OPERATOR

DRILL K

P. O. Box 730, Hobbs, New Mexico

OTHER

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)

1310 FSL & 2630 FWL

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE®

11. SEC., T., B., M., OB BLK. 7-Rivers 22, T17S, R31E 12. COUNTY OR PARISH | 13. STATE

10. FIELD AND POOL, OR WILDCAT G-SA

Grayburg Jackson, Fren

N.M.

5 miles southwest of Maljamar, New Mexico

16. NO. OF ACRES IN LEASE 10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT

2944

Eddy 17. NO. OF ACRES ASSIGNED TO THIS WELL 40

20. ROTARY OR CABLE TOOLS

9. WELL NO.

159

(Also to nearest drig, unit line, if any) DISTANCE FROM PROPOSED LOCATIONS
TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. PLEVATIONS (Show whether DF, RT, GR, etc.)

926

3900 Rotary

22. APPROX. DATE WORK WILL START*

September 1984

3736<u>.6</u>

23

PROPOSED CASING AND CEMENTING PROGRAM /

4040

19. PROPOSED DEPTH

BINGLE

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT	
17-1/2	13-3/8	48#	500 A M	520 FIRCULATE	
12-1/4	8-5/8	28#	1900	1100	3
7-7/8	5-/12	15.5#	3900	g = 2750 = 1 = ₹	<u> </u>
	1	1	,		

- The subject well will be drilled from surface to 500' with fresh water and gel additives to condition the hole for running casing. From 500' to 3900' (TD) a brine of sufficient weight and gel additives will be used to control formation pressures and condition the hole for electric logs and running casing strings.
- The pump and plug method will be used to cement all strings of casing. The 5-1/2" casing will have the top of the cement tied into the surface casing.

(This well will be downhole commingled in the Fren Seven Rivers and Grayburg Jackson Queen San Andres pools.)

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

Dist. Oper. Manager

12-28-84

(This space for Federal or State office use)

PERMIT NO.

1010

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

Subject to ike Approval **hy** State