

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2018
SANTA FE, NEW MEXICO 87501
O.C.D.
ARTESIA, OFFICE

RECEIVED BY

DEC 27 1984

Form C-105
Revised 10-1-78

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL Oil Well ☒ GAS WELL ☐ DRY ☐ OTHER ☐		5a. Indicate Type of Lease State ☒ Fed ☐	
b. TYPE OF COMPLETION NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESV. ☐ OTHER ☐		5. State Oil & Gas Lease No. B-514	
2. Name of Operator Marbob Energy Corporation		6. Farm or Lease Name G-J West Coop Unit	
3. Address of Operator P.O. Drawer 217, Artesia, N.M. 88210		9. Well No. 64	
4. Location of Well UNIT LETTER <u>A</u> LOCATED <u>890</u> FEET FROM THE <u>North</u> LINE AND <u>330</u> FEET FROM THE <u>East</u> LINE OF SEC. <u>28</u> TWP. <u>17S</u> RGE. <u>29E</u> NMPM		10. Field and Pool, or Wildcat Grbg Jackson SR Q G SA	
15. Date Spudded 12/5/84		16. Date T.D. Reached 12/10/84	
17. Date Compl. (Ready to Prod.) 12/19/84		18. Elevations (DF, RKB, RT, GR, etc.) 3547.2' GR	
19. Elev. Casinghead 3547.2' GR		20. Total Depth 3522'	
21. Plug Back T.D. 3500'		22. If Multiple Compl., How Many	
23. Intervals Drilled By Rotary Tools 0-3522'		24. Producing Interval(s), of this completion - Top, Bottom, Name 2584-3299' San Andres	
25. Was Directional Survey Made Yes		26. Type Electric and Other Logs Run Dual spaced neutron	
27. Was Well Cored No		28. CASING RECORD (Report all strings set in well)	
29. LINER RECORD		30. TUBING RECORD	
31. Perforation Record (Interval, size and number) 2584-3299' attached		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
33. PRODUCTION		34. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold	
35. List of Attachments Perforations, deviation survey, logs		36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.	

Production Clerk

12/26/84

INSTRUCTIONS

This form is to be filled with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filled in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
D. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 2528'	T. Simpson	T. Gallup	T. Ignacio Qizte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinbry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Granite	T. Todilto	T.
T. Drinkard	T. Delaware Sand	T. Entrada	T.
T. Abo	T. Bone Springs	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn.	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn. "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....	No. 4, from.....to.....
No. 2, from.....to.....	No. 5, from.....to.....
No. 3, from.....to.....	No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....
No. 4, from.....to.....feet.....


FORMATION RECORD (Attach additional sheets if necessary)


From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	65	65	Sand				
65	235	170	Shale, anhy				
235	625	380	Salt				
625	830	205	Anhy				
830	880	50	Anhy, shale				
880	1175	295	Anhy				
1175	1190	15	Anhy, sand				
1190	2060	850	Anhy				
2060	3522	1462	Lime				
3522			TD				

Marbob Energy Corporation
G-J West Coop Unit #64
Perforations

2584
2589
2594
2618
2631
2636
2643
2650
2661
2672
2690
2697
2707
2734
2755
2763
2781
2787
2798
2812
2845
2861
2888
2896
2910
2941
2953
3013
3023
3050
3056
3062
3068
3094
3102
3122
3132
3140
3210
3220

3228
3238
3251
3263
3268
3273
3280
3288
3294
3299





Telephone (505) 748-2205

L & M DRILLING, INC. — Oil Well Drilling Contractors

P. O. BOX 672 / ARTESIA, NEW MEXICO 88210
470

RECEIVED BY

DEC 27 1984

O. C. D.
ARTESIA, OFFICE

December 18, 1984

Marbob Energy Corporation
PO Box 304
Artesia, NM 88210

Re: Tenneco State #64
890' FNL & 330' FEL
Sec. 28, T17S, R29E
Eddy County, New Mexico

Gentlemen:

The following is a Devition Survey for the above captioned well.

DEPTH	DEVIATION
364'	1/2°
795'	3/4°
1325'	3/4°
1859'	1°
2378'	3/4°
2838'	1°
3121'	1°
3522'	1°

Very truly yours,

B. N. Muncy Jr.
President

BNM/rlg

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 18th day of December, 1984.

NOTARY PUBLIC