

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL:		OIL WELL ☒	GAS WELL ☐	DRY ☐	Other ☐										
b. TYPE OF COMPLETION:		NEW WELL ☒	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESER. ☐	Other ☐								
2. NAME OF OPERATOR Burnett Oil Co., Inc.															
3. ADDRESS OF OPERATOR 801 Cherry, Suite 1500, Fort Worth, TX 76102															
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface Unit Letter F, 1980' FNL, 1980' FWL, Sec. 14, T17S, R30E At top prod. interval reported below same At total depth same															
14. PERMIT NO.				DATE ISSUED 6/17/87											
15. DATE SPUDDED 7/31/87		16. DATE T.D. REACHED 8/7/87		17. DATE COMPL. (Ready to prod.) 10/2/87		18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3694' GR		19. ELEV. CASINGHEAD 3693'							
20. TOTAL DEPTH, MD & TVD 3565' KB		21. PLUG, BACK T.D., MD 3529' KB		22. MULTIPLE COMPL., HOW MANY 2		23. INTERVALS DRILLED BY All		24. ROTARY TOOLS All							
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Metex 2786'-2814' Premier 2886'-2891'								25. WAS DIRECTIONAL SURVEY MADE No							
26. TYPE ELECTRIC AND OTHER LOGS RUN GR/CN-CBL								27. WAS WELL CORED No							
28. CASING RECORD (Report all strings set in well)															
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED					
8-5/8"		24		396'		12 1/4"		455 sks. Cl C (circ'd) sjs							
5 1/2"		17		3561'		7-7/8"		509 sks. Pozmix, RFC and Cl C.							
29. LINER RECORD										30. TUBING RECORD					
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*		SCREEN (MD)		SIZE		DEPTH SET (MD)		PACKER SET (MD)	
										2-3/8" EUE		2926'		NA	
31. PERFORATION RECORD (Interval, size and number) 2786', 2788', 2789', 2811', 2812', 2814', 2886', 2887', 2891' Total 9 .40" OD holes										32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.					
										DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED			
										2786-2814'		1500 gal. 15% HCl			
										2886-2891'		250 gal. 15% HCl			
										2786-2891'		47000 gal. gelled water, 75000 lbs. sand			
33.* PRODUCTION															
DATE FIRST PRODUCTION 10/2/87		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pump - 2" X 1 1/2" X 10' RWTC						WELL STATUS (Producing or shut-in) Producing							
DATE OF TEST 10/6/87		HOURS TESTED 24		CHOKE SIZE NA		PROD'N. FOR TEST PERIOD 49		OIL—BBL. 49		GAS—MCF. 88		WATER—BBL. 25		GAS-OIL RATIO 1796	
FLOW. TUBING PRESS. NA		CASING PRESSURE 100		CALCULATED 24-HOUR RATE 49		OIL—BBL. 49		GAS—MCF. 88		WATER—BBL. 25		OIL GRAVITY-API (CORR.) 37°			
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold										TEST WITNESSED BY R. Starkey					
35. LIST OF ATTACHMENTS GR/CN-CBL-CET, deviation survey, temperature survey															
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records															
SIGNED John C. McPhaul		TITLE Production Superintendent						DATE 10/6/87							

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

GEOLOGIC MARKERS				
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME
Metex Premier Jackson	2786' 2886' 3342'	2814' 2891' 3468'	Limey sand Limey sand Dolomite	T. Salt B. Salt Yates Queen Grayburg San Andres Lovington
				MEAS. DEPTH
				TRUE VERT. DEPTH
				410' 1220' 1317' 2205' 2605' 2918' 3007'
				410' 1220' 1317' 2205' 2605' 2918' 3007'



LESLIE K. EVERTSON - ROSWELL
KENNETH D. REYNOLDS - ARTESIA

WEK DRILLING CO., INC. - OIL WELL DRILLING CONTRACTORS

P. O. Box 1498 ROSWELL, NEW MEXICO 88201
TELEPHONES: ARTESIA 505/746-6757
ROSWELL 505/623-5070

August 11, 1987

Burnett Oil Co., Inc.
1500 Inter First Tower
Fort Worth, Texas 76102

Re: Gissler "B" #26

Gentlemen:

The following is a Deviation Survey on the above referenced well located in Eddy County, New Mexico.

397' - $1/4^\circ$	2329' - $1/2^\circ$
894' - $1/2^\circ$	2802' - $3/4^\circ$
1385' - $1/2^\circ$	3068' - $3/4^\circ$
1845' - $1/2^\circ$	3565' - $1\frac{1}{2}^\circ$ T.D.

Sincerely,

WEK DRILLING CO., INC.

Arnold Newkirk
Arnold Newkirk

STATE OF NEW MEXICO)
)
COUNTY OF CHAVES)

The foregoing was acknowledged before me this 11th day of August, 1987 by Arnold Newkirk.

MY COMMISSION EXPIRES:

4/10/88

Glenda Bea Newton
Notary Public