

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE


Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐		1b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐		2. NAME OF OPERATOR Burnett Oil Co., Inc.		3. ADDRESS OF OPERATOR 801 Cherry, Suite 1500, Fort Worth, TX 76102		4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface Unit Letter A, 660' FNL, 780' FEL, Sec. 14, T17S, R30E At top prod. interval reported below Same At total depth Same		14. PERMIT NO. DATE ISSUED 6/17/87		15. DATE SPUNDED 8/12/87		16. DATE T.D. REACHED 8/20/87		17. DATE COMPL. (Ready to prod.) 10/12/87		18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3721' GR		19. ELEV. CASINGHEAD 3720'	
20. TOTAL DEPTH, MD & TVD 3555' KB		21. PLUG, BACK T.D., MD & TVD 3522'		22. IF MULTIPLE COMPL., HOW MANY? 1		23. INTERVALS DRILLED BY ALL		24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Metex 2861'-2917' Premier 2963'-2965'		25. WAS DIRECTIONAL SURVEY MADE No		26. TYPE ELECTRIC AND OTHER LOGS RUN GR/CN/CBL		27. WAS WELL CORED No							
28. CASING RECORD (Report all strings set in well)																					
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED											
8-5/8" OD		24		398' KB		12 1/4"		250 sks Cl C (conventional)													
5 1/2" OD		17		3553' KB		7-7/8"		250 sks Cl C (down 1")													
								250 sks. Cl C 65-35 Poz													
								260 sks. 12-3 RFC													
29. LINER RECORD												30. TUBING RECORD									
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*		SCREEN (MD)		SIZE		DEPTH SET (MD)		PACKER SET (MD)							
										2-7/8" OD		2809' KB		2809' KB							
31. PERFORATION RECORD (Interval, size and number) Metex: perforated 7 .40" OD holes at 2861', 2867', 2868', 2879', 2880', 2889', 2917' Premier: perforated 3 .40" holes at 2963', 2964', 2965'												32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) 2861'-2917' AMOUNT AND KIND OF MATERIAL USED 1200 gal. 15% HCl, 47,000 gal. gelled water, 34,500# 20-40 sd, 41,500# 12-20 sd.									
33.* PRODUCTION																					
DATE FIRST PRODUCTION 10/11/87		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing										WELL STATUS (Producing or shut-in) Producing									
DATE OF TEST 10/13/87		HOURS TESTED 24		CHOKE SIZE 28/64"		PROD'N. FOR TEST PERIOD		OIL—BBL. 130		GAS—MCF. 80		WATER—BBL. 302		GAS-OIL RATIO 615							
FLOW. TUBING PRESS. 50 psi		CASING PRESSURE NA		CALCULATED 24-HOUR RATE		OIL—BBL. 130		GAS—MCF. 80		WATER—BBL. 302		OIL GRAVITY-API (CORR.) 37°									
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold												TEST WITNESSED BY R. Starkey									
35. LIST OF ATTACHMENTS Deviation Record, GR/CNL/CBL, Temperature survey																					
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records																					
SIGNED John C. McPhaul		TITLE Production Superintendent										DATE 10/16/87									

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):	38. GEOLOGIC MARKERS				
	FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME MEAS. DEPTH TOP TRUE VERT. DEPTH
Metex (Grayburg) Premier (Grayburg) Jackson (San Andres)	2861' 2963' 3310'		2900' 2994' 3480'	Dolomitic sand Dolomitic sand Dolomite	T. Salt 456'
					B. Salt 1206'
					Yates 1392'
					Queen 2278'
					Grayburg 2680'
					San Andres 2994'
					Lovington 3140'



LESLIE K. EVERTSON - ROSWELL
KENNETH D. REYNOLDS - ARTESIA

DRILLING CO., INC. - OIL WELL DRILLING CONTRACTORS

P. O. Box 1498 ROSWELL, NEW MEXICO 88201
TELEPHONES: ARTESIA 505/746-6757
ROSWELL 505/623-5070

August 27, 1987

Burnett Oil Co., Inc.
1500 Inter First Tower
Ft. Worth, Texas 76102
ATTN: John McPhaul

Re: Gissler "A" #14

Gentlemen:

The following is a Deviation Survey on the above referenced well located in Eddy County, New Mexico.

399' - 1/2°
893' - 1/2°
1358' - 1/2°
1849' - 1/2°

2086' - 1 1/2°
2584' - 1 1/4°
3014' - 1/2°
3314' - 1°
3555' - 3/4° T.D.

Sincerely,

WEK DRILLING CO., INC.

Arnold Newkirk
Arnold Newkirk

STATE OF NEW MEXICO)
)
COUNTY OF CHAVES)

The foregoing was acknowledged before me this 27th day of August, 1987 by Arnold Newkirk.

MY COMMISSION EXPIRES:

4/10/88

Glennola Bea Hewitson
Notary Public

