•												
Form 3160-4 (November 1983) (formerly 9-330)	)		STATES				N DUPLIC		Form a Budge Expire	Burea	ed. (2004-013) Bu No. 1004-013 St 31, 1985	15 F
		TMENT O				<b>39</b> *	(See Wrud reve	other in- ctions on rse, side)	5. LEASE DES	SIGNATI	QN AND SERIAL NO	).
		TREAU OF LAI	Tten	VICTY1	1 ****	-R	ECEIV	FD.	LC-029	3 5 <u>0</u> 5 b215−R		
WELL CO		OR RECO	MPLETION	RE	PORT	AN	ID LO	G*	6. IF INDIAN	ALLOT	TEE OR TRIRE NAM	Ē
b. TYPE OF CO	MPLETION:	ELF [] REIT [	DRY	] ot	her AUG		ांगे ५७	AH "8	7. UNIT AGRE	EMENT	NAME	
WELL X	OVER L EN		DIFF. EESVR.	0.	her <u>Cás</u>		CEIVED		S. FARM OR	EASE	NAME	
2. NAME OF OPERA		/.			ARE	7. I			J. L. K	eel	"B" Federal	:
HONGO OIL	& Gas Comp	pany V						- 1100 	9. WELL NO.			-
D O Dov	2200 -	and I low	3202				18'8	8	37			
4. LOCATION OF W	ELL (Report locati	ion clearly and in	accordance with	any 8	state requi	remen	"Ċ. D.		Graybure	g Jac	ckson (Film)	, i
1780' FNT.	& 660 FWI terval reported be						SIA, OFFIC	CE	11. SEC., T., F OR AREA	к., м., о	R BLOCK AND BURYE	i
At total depth									Sec.5-T	175-F	R31E	
			14. PERMIT	NO.		DATE	ISSUED	· · · · · ·	12. COUNTY OF		13. STATE	-
15. DATE SPUDDED	16. DATE T.D. I	REACHED   17. DAT	E COMPL. (Read)	y to p	rod.)   18		/23/88		Eddy	19. EI	NM EV. CASINGHEAD	
6/30/88 20. TOTAL DEPTH, MD	7/9/88 4 TVD   21. PLU	7/3 70, BACK T.D., MD A	6/88 TVD   22 IF V	ULTIP	LE COMPL	380	)5   GL		ROTARY TOO!		CABLE TOOLS	-
3754'				MANI			DRII	LLED BY	3754'		CADO 1000B	
24. PRODUCING INTE	RVAL(S). OF THIS	COMPLETION TOP	, BOTTOM, NAME	(MD	AND TVD)				3/34	25.	WAS DIRECTIONAL SURVEY MADE	
2999-3697	' Grayburd	Jackson								١,		
26. TYPE ELECTRIC											S WELL CORED	
CNL-LD-NG'	r, DLL-MSFL										N WELL CORED	
28.			NG RECORD (1	Report	all string	s set i	n well)		<del></del>	No		
CASINO SIZE	WEIGHT, LB.	FT. DEPTH SE	T (MD)	HOLE	SIZE		CEN	IENTING	RECORD		AMOUNT PULLED	
8 5/8" 5 1/2"	24#				1/4" 500 sx. Class "C" w/2% CC None circ'd							
3 1/2	15.5	375	94'	7 7	7/8"				etter Lit		None S	<u> </u>
						+ 2	00 sx.	Clas	s "C" Thi	.xoni	x circ'a	-
29.		LINER RECORD	<del></del>			<u> </u>	30.	7	UBING RECO	RD		
BIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT	s	SCREEN (MD) SIZE				DEPTH SET (MD) PACKER SET (MD)			
							2 3/8	3"	3644'	-	None	
31. PERFORATION RE	CORD (Interval si	ze and number)	· · · · · · · · · · · · · · · · · · ·									
3306, 35,	38, 43, 71	, 95, 3406,		92 ; -	32.			ī	URE, CEMENT			
3505, 12,	26, 38, 50	, 70, 73, 7	5, 3610,	30,-	DEPTH INT				DUNT AND KIND		<del></del>	
68, 71, 83 2999 3000	3,85,92 &	97' 1 JSP 22, 54, 58,	F 00 00	06	3306-3 3306-3			ı	gal. 15%			
98, 3114,	17, 27, 53	, 54, 61, 8	0. 93. 95	_	3300	051			00# 20-40		linked flui	a +
3204, 09,	98, 3114, 17, 27, 53, 54, 61, 80, 93, 95, 3204, 09, 10, 11, 12, 27, 36, 37, 38, 39,							O qal. 30# x-linked fluid +				
33. 45, 55 8					TION			131 0	00# 20-40	san	đ	-
7/19/88		стюм метнов (F Pumping 2					ype of pum	ıp)	well a shut- Produ	in)	(Producing or	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N, FOR TEST PERIOD		IL-BBL.		GAS-MC	·F.	WATER-BBL.		AS-OIL RATIO	
7/23/88 FLOW. TUBING PRESS.	CASING PRESSUR		OILBBI.		113 GAS-	MCF.	40	WATER	11	OIL CRA	VITY-API (CORR.)	
		24-HOUR RATE				•	1			ORA	······································	
34. DISPOSITION OF G	AB (Sold, used for	fuel, vented, etc.)					<del></del>		TEST WITNESS	ED BY		
Vented Mike Rogers  35. LIST OF ATTACHMENTS												
Logs, Deviation Survey  36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records												
SIGNED William / Hilton Braincar												
	O		_ TITLE _		***A T11CC				DATE		14/08	

J. L. KEEL "B" FEDERAL #37 HONDO OIL & GAS COMPANY 1780' FNL & 660' FWL

Sec.5-T17S-R31E

Eddy Co., NM Elev. 3805' GL

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries): San Andres Premier Grayburg FORMATION 2999' 3088' 3212' TOP 3697 3212' 3058 BOTTOM DESCRIPTION, CONTENTS, ETC. Queen Yates 38. Seven Rivers Lovington Sand San Andres Grayburg (bottom of salt) Tansill Salado Rustler Premier (top of salt) NAME GEOLOGIC MARKERS MEAS, DEPTH 3316 1874 1577 1493' 3212' 3086 2910 2477' 3381 513' TOP TRUE VERT, DEPTH (+500)(+2239) (+3303)(+3478)(+604)(+730)(+906)(+1339)(+1942)(+2373)

WE	LL NAME A	AND NUMBER_	J. L. Keel "B" Federal	No. 37						
LOCATION Section 5, T17S, R-31E, Eddy County, New Mexico										
OPI	ERATOR	Hondo Oil & Ga	AUG 18 '88							
DR	ILLING CO	ONTRACTOR Un	O. C. D.							
				ARTESIA, OFFICE						
des	presentat scribed w	tive of the	drilling contractors conducted deviati	that he is an authorized or who drilled the above ion tests and obtained						
	Degrees	@ Depth	Degrees @ Depth	Degrees @ Depth						
	1/2°	516'								
	1/2°	1032'								
	<u>1</u> °	1500'								
	3/4°	2021'								
•	1/2°	2500								
	1/2°	3000'								
	3/4°	35001		•						
Drilling Contractor United Drilling, Inc.										
	By: J. M. Gibbs									
	Title: Business Manager									
	Subscrib	ed and swor	n to before me thi	is 11th day of July						
	19_55									
				Kasna Jankensley Notary Public						
	My Commi	ision Expire	es: 9-25-9/	Chaus County New Mexico						

The section of the se