

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐ SEP 19 '88

2. NAME OF OPERATOR Hondo Oil & Gas Company

3. ADDRESS OF OPERATOR P. O. Box 2208, Roswell, NM 88202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1980' FSL & 660' FWL

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3900' GL

5. LEASE DESIGNATION AND SERIAL NO. LC-029426-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME H. E. West "B"

9. WELL NO. 32

10. FIELD AND POOL, OR WILDCAT Grayburg Jackson

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 10-T17S-R31E

12. COUNTY OR PARISH Eddy

13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)			

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input checked="" type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

8/27-31/88 Perf. lower zone 3529, 53, 70, 72, 81, 83, 90, 92, 95, 3602, 09, 15, 20, 23, 28, 34, 36, 38, 40, 41, 42, 44, 46, 47, 54, 56, 59, 71, 73, 79, 89, 93, 97, 3712, 16, 23, 30, 33, 38, 40, 42, 48, 50 & 54' (44 shots - 1JSPF). Acidized perfs. w/2000 gal. NEFE acid + 80 ball sealers. Flowed and swabbed well back to clean up. Frac'd perfs. w/60,000 gal. 30# cross-linked gel + 120,000# 20-40 sand + 20 ball sealers. Flowed well back.

18. I hereby certify that the foregoing is true and correct

SIGNED Ron Brown TITLE Engineer DATE 9/8/88

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

SEP 13 1988

*See Instructions on Reverse Side

CARLSBAD, NEW MEXICO