

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIP
(Other instructions
reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

CLSF

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		NOV 4 11 23 AM '88	
2. NAME OF OPERATOR Hondo Oil & Gas Company		CARLE AREA	
3. ADDRESS OF OPERATOR P. O. Box 2208, Roswell, NM 88202		RECEIVED	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FNL & 660' FEL		NOV 09 '88 O. C. D.	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, or AREA, OFFICE) 3896' GL		16. FIELD AND POOL, OR WILDCAT Grayburg Jackson
		12. COUNTY OR PARISH Eddy	13. STATE NM

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input checked="" type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

10/27/88 Perforated 3494-3821' with 62 holes.

10/28/88 Acidized perfs. 3494-3821' with 4000 gal. 15% NEFE acid. Flowed well back.

10/29/88 Frac'd 3494-3821' with 23,000 gal. 30# gelled water + 15,000# 20-40 sand. Flowed well back.

10/30/88 Reacidized 3494-3821' with 2000 gal. 15% NEFE acid. Frac'd 3494-3821' with 57,000 gal. 30# gelled water + 55,000# 20-40 sand. Flowed and swabbed well back.

11/02/88 Reacidized top half of lower zone perfs. from 3494-3645' with 6000 gal. 20% NEFE acid. Flowed well back.

18. I hereby certify that the foregoing is true and correct

SIGNED Don Brown TITLE Engineer

DATE 11/3/88

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

ACCEPTED FOR RECORD

DATE _____

NOV 8 1988

*See Instructions on Reverse Side

SJS

CARLE AREA, NEW MEXICO