

**Hondo Oil & Gas Company**

Box 2208  
Roswell, New Mexico 88202  
(505)625-8700

RECEIVED

OCT 31 '88

O. C. D.  
ARTESIA, OFFICE



October 28, 1988

NMOCD  
P. O. Drawer DD  
Artesia, NM 88210

RE: H. E. West "A" #14  
720' FSL & 1980' FEL  
Sec.4-T17S-R31E  
Eddy Co., NM

Dear Sirs:

Please find enclosed a copy of a letter from Cabot Gas Processing Corp. agreeing to our placement of the well pad on the above captioned well. This letter is an attachment to the APD on the same well.

If you have any questions, please contact Ron Brown at 505/625-8760.

Sincerely,

A handwritten signature in cursive script that reads "Lisa Bohannon". The ink is dark and the signature is fluid.

Lisa Bohannon  
Engineering Technician

Encl.

**CABOT**


RECEIVED

OCT 31 '88

O. C. D.  
ARTESIA, OFFICE

October 25, 1988

Hondo Oil & Gas Co.  
105 W. 3rd  
Roswell, N.M. 88201




Attn: Bruce Stubbs

Hondo Oil & Gas has our permission to construct a well pad on our ROW for line #NM-18846-T-1. Specific location: Section 4, Township 17S, Range 31E. Cabot has a 50 foot ROW for this line.

It is to be understood that no well pad, caliche, surface pit or any equipment is to be placed on top of this line or within 15 feet of this line.

Cabot will not be responsible for damages to your well pad in the event we have to work on our line.

Thank you

  
Clay Robertson  
Field Superintendent

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL  
WELL ☒

GAS  
WELL ☐

OTHER

SINGLE  
ZONE ☐

MULTIPLE  
ZONE ☐

2. NAME OF OPERATOR

Hondo Oil & Gas Company

3. ADDRESS OF OPERATOR

P. O. Box 2208, Roswell, NM 88202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*

At surface

720' FSL & 1980' FEL

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

10 miles northeast of Loco Hills, NM

10. DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST  
PROPERTY OR LEASE LINE, FT.  
(Also to nearest drlg. unit line, if any)

720'

18. DISTANCE FROM PROPOSED LOCATION\*  
TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT.

1320'

16. NO. OF ACRES IN LEASE

639.56

19. PROPOSED DEPTH

4000'

17. NO. OF ACRES ASSIGNED  
TO THIS WELL

40

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

3914' GL

22. APPROX. DATE WORK WILL START\*

10/24/88

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	24#	500'	300 sx. Class "C" CIRCULATE
7 7/8"	5 1/2"	15.5#	4000'	300 sx. Class "C" + 1000 sx. Lite

Mud Program:

0 - 500' Drill with fresh water.  
500 - 4000' Drill with saturated brine.

BOP Program:

Will install on the 8 5/8" surface casing a 10" Series 900 Type "E" Shaffer  
Double Hydraulic BOP and will test before drilling into the Queen formation.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

*Ron Brown*

TITLE

Engineer

DATE

10/12/88

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

*Send Adams actg*

TITLE

DATE

10-25-88

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions On Reverse Side