

UNIT STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE  
ORIGINAL AND TWO COPIES  
ON REVERSE SIDE

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

25F

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR  
Hondo Oil & Gas Company

3. ADDRESS OF OPERATOR  
P. O. Box 2208, Roswell, NM 88202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)  
At surface  
660' FSL & 2020' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether OF, RT, GR, etc.)  
3897' GR

RECEIVED

FEB 24 '89

ARTESIA, NM 88210  
ARTESIA, OFFICE

5. LEASE DESIGNATION AND SERIAL NO.  
LC-029426-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
H. E. West "B"

9. WELL NO.  
41

10. FIELD AND POOL, OR WILDCAT  
Grayburg Jackson

11. SEC., T., R., M., OR BLK. AND SURVEY OR ARRA  
Sec. 10-T17S-R31E

12. COUNTY OR PARISH  
Eddy

13. STATE  
NM

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF  
FRACTURE TREAT  
SHOOT OR ACIDIZE  
REPAIR WELL  
(Other)

PULL OR ALTER CASING  
MULTIPLE COMPLETE  
ABANDON\*  
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF  
FRACTURE TREATMENT  
SHOOTING OR ACIDIZING  
(Other)

REPAIRING WELL  
ALTERING CASING  
ABANDONMENT\*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 2/1/89 Perforated 3875-3943' with 26 holes.
- 2/2/89 Acidized 3875-3943' with 1000 gal. 15% NEFE acid. Swabbed back.
- 2/3/89 Reacidized 3875-3943' with 1000 gal. 15% NEFE acid. Swabbed.  
Perforated 3831-3847' with 10 holes.
- 2/4/89 Acidized 3831-3847' with 1000 gal. 15% NEFE acid. Flowed back.
- 2/6/89 Acidized 3831-3943' with 6000 gal. 20% CRA acid. Swabbed well back.
- 2/7/89 Perforated 3593-3793' with 60 shots.
- 2/8/89 Acidized 3593-3793' with 6000 gal. 15% NEFE acid. Flowed and swabbed well back.
- 2/9/89 Frac'd 3593-3793' with 60,000 gal. 30# gelled 2% KCL water + 33,000# 20-40 sand. Flowed and swabbed well back.

18. I hereby certify that the foregoing is true and correct

SIGNED Ron E. Egan TITLE Engineer

DATE 2/10/89

(This space for Federal or State office use)

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY

TITLE

ACCEPTED FOR RECORD

DATE

FEB 23 1989

\*See Instructions on Reverse Side

SJS  
CARLSBAD, NEW MEXICO